ECEIVED MARIST NOTICE TO WATER WELL CONTRACTAN 10 1966 The original and first copy of this report are to TATE ENGINEER WELL REPORT filed with the STATE ENGINEER WELL REPORT Evuin State Well No. 6/16-18-1 STATE ENGINEER, SALEM, ORECONSTATE OF UREGON within 30 days from the date of well completion. (Please type or print) G5093 State Permit No. (1) OWNER: (11) WELL TESTS: Drawdown is amount water level is lowered below static level Name Mayo Hollin Was a pump test made? Yes ☐ No If yes, by whom? Driller Address RT # 3, Box II8 Yield: 1,50 gal./min. with 20 ft. drawdown after I Brooks, Oregon 500 (2) LOCATION OF WELL: 650 " ,, Bailer test gal./min. with ft. drawdown after hrs. County Marion Driller's well number Artesian flow g.p.m. Date 1/4 1/4 Section T. Temperature of water Was a chemical analysis made? ☐ Yes 📆 No Bearing and distance from section or subdivision corner (12) WELL LOG: 1375 ft S.& I50 ft W. of N.E. cor Diameter of well below casing Q sec 18, T6S. R.IW. of W. M. 290 Depth drilled ft. Depth of completed well 290 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL. (3) TYPE OF WORK (check): Top soil, brn. 2 Well Deepening 🔲 🥕 Reconditioning [Abandon [] Clay, brn. 23 andonment, describe material and procedure in Item 12. Clay, sandy, brn. 23 30 Clay, sandy, grey. (4) PROPOSED USE (check): 30 (5) TYPE OF WELL: 98 Med congl. brn., Driven 🗌 Rotary 🗌 98 II5 Domestic | Industrial | Municipal Cable X7 Jetted [] Loose sand & gravel. ĬI5 Irrigation I Test Well | Other I30 Bored | Clay sandy, grey. I30 (6) CASING INSTALLED: (W.B.) Loose sand & gravel. Threaded [Weldedy <u> ፲᠘ᢃ</u> Med congl brn. (W.B.) <u> 163</u> Loose sand & gravel (W.B. TOS Med congl. brn. "Diam. from _____ ft. to ____ ft. Gage ___ 205 Clay, green. 230 (7) PERFORATIONS: Perforated? T Yes | No Course sand, grey. 235 Type of perforator used Mills Clay, sticky, grey Size of perforations 3/8 in. by 150 perforations from ______ft. to _____ft. perforations from 145 ft. to 225 ft. perforations from _____ ft. to ____ ... perforations from _____ ft. to ___ perforations from _____ ft. to ____ (8) SCREENS: Well screen installed? Tyes I No Model No. ... Diam. ____ Slot size ____ Set from ____ ft. to ____ ft. Work started 7-26-65 19 Completed 8-T0-65 Diam. Slot size _____ Set from ____ ft. to ____ Date well drilling machine moved off of well 8-II-65 (9) CONSTRUCTION: (13) PUMP: Jacuzzi Manufacturer's Name Turbine 60 Diameter of well bore to bottom of seal _____ in. Water Well Contractor's Certification: Were any loose strata cemented off?

Yes No Depth . Was a drive shoe used? ▼ Yes □ No This well was drilled under my jurisdiction and this report is Size of gravel: ... true to the best of my knowledge and belief. Was well gravel packed? 🗌 Yes 🗶 No Gravel placed from ft. 5 NAME R. Stadeli & Sons
(Person, firm or corporation) (Type or print) Did any strata contain unusable water Yes 🐴 No Address Rt # 3, Box 169, Silverton, Ore depth of strata Type of water? Method of sealing strata off Drilling Machine Operator's License No. 84, 322. (10) WATER LEVELS:

ft. below land surface Date 8-10-65

lbs. per square inch Date

Static level

Artesian pressure