File Original and First Copy with the STATE ENGINEER, SALEM, OREGON



## WATER WELL REPORT STATE OF OREGON TE ENGINEER STATE OF OREGON TE ENGINEER STATE OF OREGON TE ENGINEER

(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level	
Name Lawrence Bochsler	Was a pump test made? Z Yes No If yes, by whom? Dril	Lers
Address Rte. 2, Box 75	Yield: 200 gal./min. with 54 ft. drawdown after	hrs.
Silverton, Oregon	<u>" 150 " 52 "</u>	5 "
(2) LOCATION OF WELL:	<u>" 50 " 27 " "                              </u>	5
County Marion Owner's number, if any—	Dallet test Sal./Illiti. With The district and district a	X hrs.
1/4 1/4 Section T. R. W.M.	Artesian flow g.p.m. Date	
Bearing and distance from section or subdivision corner	Temperature of water XX—Was a chemical analysis made?   Q	s 🗹 No
1600 ft. north & 2280 ft. west from	(12) WELL LOG: Diameter of well	inches.
S.E. corner of section 21, T., 5 S.,	Depth drilled 110 ft. Depth of completed well 110	ft.
R.l W. of W.M.	Formation: Describe by color, character, size of material and structure show thickness of aquifers and the kind and nature of the material	cture, and
The state of the s	stratum penetrated, with at least one entry for each change of f	ormation.
	MATERIAL FROM	то
(3) TYPE OF WORK (check):	Top soil- brown 0	2
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	Clay- brown 2	23 44
ndonment, describe material and procedure in Item 11.	Clay-blue 23	
(A) THE PROPERTY OF THE LAND O	Conglomerate-course-brown 44	<u>53</u> 66
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Clay- blue 53	
Domestic M Industrial   Municipal   Rotary   Driven   Cable Detect   Detect   Cable Detect   Driven   Driven   Cable Detect   Driven   Driven	Conglomerate-gray-med.waterbrg.56	<u>72</u>
Irrigation 🗷 Test Well 🗌 Other 🔲 Dug 🗎 Bored 🗆	Clay- brown 72	<u>74</u>
(6) CASING INSTALLED: Threaded □ Welded 집	Conglomerate-gray-med.waterbrg.74	80_
(6) CASING INSTALLED: Threaded Welded 5  "Diam. from O ft. to 110 ft. Gage 279	Gravel-loose-blueish gray,	- 00
"Diam. from ft. to ft. Gage • 279	waterbearing 80	82 107
"Diam. from ft. to ft. Gage	Conglomerate-gray-med.waterbrg.82	101
"Diam. from	Gravel & sand-med	770
(7) PERFORATIONS: Perforated? X Yes No	loose ,good waterbearing 107	110
Type of perforator used Mills knife Perforator		
SIZE of perforations in. by 3 in.		
258 perforations from 66 ft. to 108 ft.		
perforations from ft. to ft.		
perforations fromft. toft.		<u> </u>
perforations fromft. toft.		
perforations fromft. toft.		<u>_</u>
(8) SCREENS: Well screen installed ☐ Yes ☑ No		
Manufacturer's Name		
TypeModel No.		
Slot size Set from ft. to ft.		<u> </u>
Diam. Slot size Set from ft. to ft.	Work started Sept. 25, 161. Completed Oct. 5,	<u> 19 6]</u>
(9) CONSTRUCTION:	(13) PUMP:	
Was well gravel packed? ☐ Yes ¾ No Size of gravel:	Manufacturer's Name Universal	
Gravel placed fromftft.	Type: Submersible HP.	7불
Was a surface seal provided? A Yes No To what depth? ft.	Type:	
Material used in seal— Puddled Glay	Well Driller's Statement:	
Did any strata contain unusable water? 🖂 😘 💥 No	This well was drilled under my jurisdiction and this report is	
Type of water? Depth of strata	true to the best of my knowledge and belief.	
Method of sealing strata off	NAME R. Stadeli & Sons	
(10) WATER LEVELS:	(Person, firm, cr corporation) (Type or print)	
Static level 36 it. below land surface Date 10/5/61	Address Rte.3, Box169, Silverton, Oregon	
Artesian pressure lbs. per square inch Date	Driller's well-mumber	
Altesian pressure	Driller's well number	
Log Accepted by:	[Signed] Daul J. Sladeli	
[Signed], 19	(Well Driller) License No. 296 Date June 20	
(Owner)	License No. 296 Date June 20	, 19Ω.L.