NOTICE TO WATER WELL CONTRACTOR

The original and first copy 1 AUG 2 3 196WATER WELL REPORT of this report are to be filed with the

STATE ENGINEER, SALEM 10, OBEGON

within 30 days from the date of well completion.

J

6/	~	0-
//W	 6	X /-(1)

State Well No.

State Permit No.

6/			α
//W	_	6	Y F(1)

(1) OWNER:	(11) WELI		lowered b	n is amount wat elow static leve	ter level is	5
Name TONY SCHULTZ			•	If yes, by whom?		
Address RT 2 BOX 67 A	Yield:	gal./min. wi	ith	ft. drawdown	after	hrs.
SILVERTON OFF	***	,,		- 1,		
(2) LOCATION OF WELL:	Bailer test	gal./min. v	with	ft. drawdown	after	hrs.
County MARION Driller's well number	Artesian flow	ga1./111111.	g.p.m. I			
1/4 1/4 Section 28 T. 68 R. W.M.	Temperature of	f water W		al analysis ma	de? ∐ Ye	s 🗆 No
Bearing and distance from section or subdivision corner						
	(12) WEL			well below cas		
	Depth drilled	, , _		completed wel		ft.
The second secon		scribe by color, of aquifers and				
	stratum penetro	ated, with at le	ast one ent		i	
19991		MATERI	AL		FROM	то
(3) TYPE OF WORK (check):				<u></u>		
Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	001	S DID	NO			
andonment, describe material and procedure in Item 12.	INCH	EASE	WA	1-17	,	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	1-FLOX	<i>y</i>				
The state of the s						
Domestic Industrial Municipal Cable Jetted	Parte	rated co	asing u	wsR		
	16/16	raje a ca	using .			
(6) CASING INSTALLED: NON E Welded □	I		7-1-4			
"Diam fromft toft Gage						
" Diam. fromft, toft. Gage						./
ft. toft. Gage	-					
(7) PERFORATIONS: Perforated? Yes No						
Type of perforator used MILLS KNIFE	l			-		
Size of perforations 4 in. by 3 in.						
108 perforations from 53 ft. to 108 ft.						
perforations from ft. to ft.			,			
perforations from ft. to ft.						
perforations fromft. to						
perforations fromft. toft.						
(8) SCREENS: Well screen installed Yes X No						
Manufacturer's Name	_					
Model No.						
Dram. Slot size Set from ft. to ft.	Work storted	July 19	1962_C	moleted	dy 21	196
Diam. Slot size Set from ft. to ft.	Date well drif	ung machine m	oved off of	well July	21	19
(a) CONCEDITORION:	(13) PUM	1P:		0 1		
(9) CONSTRUCTION:	Manufacturer'	, ,	NIVE	RSAI	/	
Well seal—Material used in seal	Туре:Т.	RBIN	E	H	(P. 4	0
Diameter of well bore to bottom of sealin.	•	-				
Were any loose strata cemented off? ☐ Yes ☐ No Depth	Water Well	Contractor's C	Certificatio	n:		
Was a drive shoe used? Tyes No		l was drilled t			and this	report
Was well gravel packed? Yes No Size of gravel: 4 MINUS	true to the c	pest of my kno	wieuge ai.	u bener.		
Gravel placed fromft, toft.	NAME W	LLIAM U	1. ST	ENNE	Γ.Τ	
Did any strata contain unusable water? Yes No	-1 71	(Person, firm	or corporati	WF D'T	ype or pring \mathcal{D}	Fr
Type of water? Depth of strata	Address 3.0	ALLITITY & J	KAI.T.I.I.I.			<u> </u>
	l	chine Operato	r's Ulcense	No.	70	
Method of sealing strata off	= Drilling Mac	citing peruso.	- 5 3-40051			
Method of sealing strata off	Drilling Mad	W. Th. S.	• ()	1	171	
A.D.	[Signed]	Willian	• ()	Henry Fell Contractor)	Ħ	