## WATER WELL REPORT STATE OF OREGON

## RECEIVED

APR 2 5 1985 M 19 13 5 84

State Well No. 65/1W - 30 d	b
-----------------------------	---

State Permit No.

WATER HEBOUPLEASE TYPE TOP PRINT IN INK CALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:	
Name Hugo Bothmer	County Marian Driller's well number 46	
Address 10356 Michauk ST. NE.	NW 4 5 12 4 Section 30 T.65 R. IV	W.M.
City Silverton OR. 97381 State OR	Tax Lot # Lot Blk Subdivision	11.414.
(2) TYPE OF WORK (check):	Address at well location: Same	
New Well ★ Deepening □ Reconditioning □ Abandon □  If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found 70	C.L
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 2 4 ft. below land surface. Date	ft.
Rotary Air Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date	
Rotary Mud Dug		
(5) CASING INSTALLED: Steel Plastic	(12) WELL LOG: Diameter of well below casing	£1
Thursday T 17717 1	Formation: Describe color, texture, grain size and structure of meterials; and	show
12" Diam. from + 1. ft. to 148 ft. Gauge 250	thickness and nature of each stratum and aquifer penetrated with at locations	
	for each change of formation. Report each change in position of Static Water and indicate principal water-bearing strata.	Level
LINER INSTALLED:	MAMPONAY	
	170 10	VL
	Clay Brown 0 33	
(6) PERFORATIONS: Perforated? See In No	Clay Grey 33 52	
3		1
in. by in.  9.20perforations from 9.2ft. to 1.33ft.	Cashented Gravel 66 13324	<u>-</u>
	C/a/ B/48 144 140	<b>Z</b>
perforations from ft. to ft.	41 148	
perforations from ft. to ft.		
(7) SCREENS: Well screen installed?   Yes No		
Manufacturer's Name		
Type Model No.		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes 🗆 No If yes by whom?		
i: 350 gal./min. with 81 ft. drawdown after 7 hrs.		
11 11 11 11 11 11		
Air test gal./min. with drill stem at ft. hrs.		
Bailer test gal./min, with ft. drawdown after hrs.		
Artesian flow g.p.m.		
perature of water Depth artesian flow encountered ft.	Work started 4/2 1985 Completed 4//6 19	
(9) CONSTRUCTION: Special standards: Yes \( \square\) No \( \sqrape\)	Date well drilling machine moved off of well	
Well seal—Material used for Llund Cemen J. Grove t	7//	
Well sealed from land surface to 8	(unbonded) Water Well Constructor Certification (if applicable	e):
Diameter of well bore to bottom of seal in.	This well was constructed under my direct supervision. Materials and information reported above are true to my best knowledge and bel	used
Diameter of well bore below seal in.	[Signed] Date, 19	ieľ.
Number of sacks of cement used in well seal 26 5 a C AS sacks		
How was cement grout placed?	Bonded Water Well Constructor Certification: Bond 7-76-5388 Issued by: 5 74 78 Forces	
2875.29325. 20.3.7.28	(number) Surety Company Name	
and the same of th	This well was drilled under my invital time.	ie to
Vas pump installed? . O	the best of my knowledge and belief.  Name Crossen Green fire control of the best of my knowledge and belief.	
Was a drive shoe used?	(Person, firm or corporation) (Type or print)	
Oid any strata contain unusable water? 🗆 Yes 📱 No	Address / 9927 Mill CH. Sal Sunt	Mi:
ype of Water? depth of strata	[Signed] Lawren Grown	c.f/
Method of sealing strata off	Water Well Constructor	•••••
Was well gravel packed? ☐ Yes Mo Size of gravel:	Date 4/20 , 198	35
Gravel placed fromft. toft.	1	
NOTICE TO THE PROPERTY OF THE		