NOTICE TO WATER WELL CONTRACTOR The original and first copy	34.	1.	
STATE ENGINEER, SALEM, OREGON 97310 STATE O	F OREGON State Well No. State Permit No.	1w-	. 9
(1) OWNER:	(11) WELL TESTS. Drawdown is amount	water leve	el is
Name James	Was a pump test made? Yes \( \bar{\text{No}}\) No If yes, by whom		
Address Alc Bolly2	Yield: gal./min. with ft/drawdov	_	hrs.
- ausora, Ore	" he allocked	Skel	7
(2) LOCATION OF WELL:	" " "		
County Marian Driller's well number	Bailer test gal./min. with ft. drawdo	own after	hrs.
14 14 Section 9 T. 45 R. / W.M.	Artesian flow g.p.m. Date	maden 🗆	van bora
Bearing and distance from section or subdivision corner	Temperature of water 4 Was a chemical analysis :		X es No
	(12) WELL LOG: Diameter of well below ca	ising	<u>.,                                    </u>
	Depth drilled / 8 7 ft. Depth of completed we		9 ft.
	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of	ıl and stru the mater	cture, and ial in each
	stratum penetrated, with at least one entry for each c	hange of	formation.
(3) TYPE OF WORK (check):	MATERIAL	FROM	то
	top	0	2
Well Deepening Reconditioning Abandon and and Abandon and Procedure in Item 12.	Spown Clay	1	133
	filly to the Chay	16	30
(4) PROPOSED USE (check): (5) TYPE OF WELL:	13h	30	74
Domestic   Industrial   Municipal   Rotary   Driven    Invigation   Total Well   Cohen   Cable   Jetted	like Brown Willow Clas	74	84
Irrigation ☐ Test Well ☐ Other ☐ Dug ☐ Bored ☐	reliek Brown Clast	84	98
(6) CASING INSTALLED: Threaded Welded	Boown Clay	98	107
1 8 gr. " Diam. from 6 ft. to 145-3ft. Gage 1 200	May fine hand	107	118
1. Diam. from 0 ft to 1804 ft. Gage 1250	Clay of food logers-	118	130
" Diam. from	Horse Clay	130	148
(7) PERFORATIONS: Porforated? Yes   No	A DIR gold Hand some molt gire	PHY	160
Type of perforator used	Level Kelan	160	165
Size of perforations in. by 8 in.	Hood Brown Clay	165	166
750 perforations from 126 ft. to 86 ft.	Lead & grovel to 3"	166	178
ft. to ft.	Brown Clay	178	184
perforations from ft. to ft.			<del></del>
perforations fromft. toft.			<del></del>
perforations from ft. to ft.		,	
(8) SCREENS: Well screen installed? ☐ Yes No		1	
Manufacturer's Name			
Model No.			
Diam. Slot size Set from ft. to ft.  Diam. Slot size Set from ft. to ft.	Work started 6-5 4/19 Completed 7	- 24	-616
	Date well drilling machine moved off of well	<u> </u>	<u>6</u> 69
(9) CONSTRUCTION:	(13) PUMP:		
Well seal—Material used in seal Bontonia	Manufacturer's Name Jague & Soculy		***************************************
Depth of sealft, Was a packer used?	Type:	н.р. (5	7
Diameter of well bore to bottom of sealin.	Water Well Contractor's Certification:		
Were any loose strata cemented off? Yes Ano Depth		•	
Was a drive shoe used? ☐ Yes ☐ No  Was well gravel packed? ☐ Yes ☐ No Size of gravel: ☐ Yes ☐ Yes ☐ No	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this	report is
Gravel placed from D ft. to 186 ft.	mile Lettering Coming	1 0	
Did any strata contain unusable water?   Yes	(Derson, firm or corporation)	p or print	·)
Type of water? depth of strata	Address Stor Kauto Box 97 de	HARL	DOM
Method of sealing strata off	Drilling Machine Operator's License No. 2/2		
(10) WATER LEVELS:	had the operator's Literist 110.	***************************************	•••••
7.147	[Signed] Mulo Felmudy	 	
Static level (5 ft. below land surface Date 7 ft. below land surfa	(Water Well Contractor)  Contractor's License No 38 7 Date 7-2	6-6	, 7
p too, per square men Date	i Contractor's Greense No-1 0 / Data /	_	<b>∕</b> 1U

		Marie Land		184 12 4 12 4	1336		
	P. L. 8	ill and the		184	1336	75 0 72	
		Man better		18 K 13 K	1230	202	
		LIPE CALL		227	123	20 22	
		In Chan		184 12 4 12 4	1230	202	
		LIPE CALL		2877	153	202	
		LITE CALLED		2827	25.5	702	
		VITE :-	8.00	25.4	30	15	
		MITE!	8 22	70	100	and to	
		- Tarl	het A	A Lake Lake			
					7	2	
		· · · ·		1 · · · · · · · · · · · · · · · · · · ·			
				-			
4							
		P					
		<b>3</b> 7					ar
	4				*		
		- 4					
	***						