NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the		. 1		Cď
filed with the STATE ENGINEER, SALEM, OREGON 973 TATE ENGINEER, SALEM, OREGON 973 STATE ENGINEER, SALEM. OPR PAIR OF Well completion.	OREGON State Well No.	,		
(1) OWNER: Well (#3)	(11) LOCATION OF WELL:			
Name Mainline Foods Inc.	<u>County Marion</u> Driller's well number 6/2W8P3			
Address P.O. Box 2165	, .			
Salem, Ore.	¼         ¼         Section         T.         R.         W.M.           Bearing and distance from section or subdivision corner			
2) TYPE OF WORK (check):	Bearing and distance from section of subdivisio	ii corner		v ·
lew Well 🕅 Deepening 🗌 Reconditioning 🔲 Abandon 🗌				······································
f abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well	7		>
Rotary 🔲 Driven 🗌 Cable 🖾 Jetted 🗌 Domestic 🗌 Industrial 🛱 Municipal 🗌	Depth drilled 145 ft. Depth of completed well 145 ft.			
Dug 🗌 Bored 🗌   Irrigation 🗌 Test Well 🗌 Other 📋				
5) CASING INSTALLED:       Threaded □       Welded ½         12_3/4jiam. from140ft. to11111ft. Gage250	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.			
" Diam. from ft. to ft. Gage	MATERIAL	From	То	SWL
	Top soil	~~~~~		
PERFORATIONS: Perforated? X Ves C No	Yellow clay	2	9	· · ·
PERFORATIONS: Perforated? Z Yes D No.	Yellow silt	0	30	
2/0	Blue silty clay	30	र्देत	
ize of perforations 3/0 in. by 2 in. 1056 perforations from 985 ft. to 142 ft.	Fine muddy sand	55	70	
IL DE LICIALIONS LICIN	Clean blk sand	70	88	
perforations from	Blk sand & gravel	88	95	<u> </u>
perforations fromft. toft.	Brwn sand & gravel	95	101	
perforations fromft. toft.	Coarse gravel (some sand		112	
	Small gravels some sand	112	121	
7) SCREENS: Well screen installed?  Yes XNo	Small green gravels	121	125	·······
anufacturer's Name	Gray sand & gravel, wood Gray sand	125 127	127	
ype Model No.	Greenish brwn sand	128	130	
iam Slot size Set from ft. to ft. to ft. ta ft. ta ft. ta ft. ta ft. ta ft.	Brwn sand & sml gravel	130	133	
تلك المحمد ال المحمد المحمد	Coarse brwn grav]	133	137	
8) WATER LEVEL: Completed well.	<u>Coarse gravel gray &amp;</u>		-21	
t. below land surface Date 5/13/68	cemented	137	143	
rtesian pressure lbs. per square inch Date	Gray clay	143_	145	
9) WELL TESTS: Drawdown is amount water level is				:
IOWERED Static level				
Vas a pump test made X X Yes D No If yes, by whom? Stettler	Work started 5/3 19 68 Complete	a - 1.		······
1: 700 gal./min. with 54 ft. drawdown after 3 hrs. 800 " 63 " 3 "	Date well drilling machine moved off of well	<u> </u>	1 <u>3/68</u> 13/68	19
	1 v 199 - radio		13/00	19
	Drilling Machine Operator's Certification: This well was constructed under my di		t t	
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported abov	e are t	rue to n	ny best
Artesian flow g.p.m. Date	knowledge and belief.			
Temperature of water Was a chemical analysis made? 🗌 Yes 🗌 No	[Signed] Alaring (Machine Operator)	Date <u>G</u>	/21	1968
10) CONSTRUCTION: Vell seal-Material used Puddled clay	Drilling Machine Operator's License No	63		
Depth of seal	Water Well Contractor's Certification:			
Diameter of well bore to bottom of sea 16 in.	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? 👖 Yea 🖄 No Depth	true to the best of my knowledge and belief.			
	NAME Harry A. Robinson (Person, firm or corporation) (Type or print)			
And a second sec		3 54	- prairie/	
And a second sec			<b>\</b>	
Did any strata contain unusable water? 🗌 Yes 🗌 No	Address 2214 Front NE Sal	èm,(	)r.e.	
Did any strata contain unusable water? Ves No	Address 221/1 Front NE Sal	_	)r.e.	
Did any strata contain unusable water? _ Yes [] No	Address 221) Front NE Sal	_		