NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be ARI
filed with the

filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT

STATE OF OREGON OCT 4 1974 State Well No. 65 2W-II

(Please type or print) STATE ENGINEER State Permit No. (Do not write above this line ALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:	•
Name Donald A. Griesenauer	County Marion Driller's well number 1860	
Address 5385 Tacoma Vay NE Rt. 1	14 14 Section 11 T. 63 R. 2W W.M.	
(Brooks) Salem, Oregon	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):	bearing and distance from section of subdivision corner	
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.		
(2) TYPE OF WELL. (4) PRODOCED TICE (-11-)	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 96 ft.	
Rotary  Driven  Domestic  Industrial  Municipal	Static level 44 ft. below land surf	ace. Date 9-30-74
Dug 🗌 Bored 🖟 Irrigation 🖾 Test Well 🗎 Other 🖂	Artesian pressure lbs. per square in	
CACING INCHALLED		
CASING INSTALLED: Threaded   Welded	(12) WELL LOG: Diameter of well below casing	
10 " Diam from top ft to 221 ft Gage 250	Denth drilled 223 ft Donth of completed well 223	
ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,	
ft. Gage		
PERFORATIONS: Perforated? FI Yes I No.	with at least one entry for each change of formation position of Static Water Level and indicate principal position.	. Report each change in
		it water-bearing strata.
Type of perforator used Mills	# MATERIAL F	rom To SWL
Size of perforations 7/16 in. by 2 3/4 in.	Top Soil	0 2
70 perforations from 109 ft. to 116 ft.	Brown silty Clay	2 51
440 perforations from 146 ft. to 179 ft.	Gray silty Clay	51 73
120perforations from209ft. to218ft.	Dark Brown sandy clay	73 96
(7) SCREENS.	Black sandy gravel	96 103
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	Black send and gravel loose	103 117
Manufacturer's Name		117 1/2
Type Model No.	1 22 1	142 182
Diam. Slot size Set from ft. to ft.	1	182 195
Diam. Slot size Set from ft. to ft.		105 203
(8) WELL TESTS: Drawdown is amount water level is	Black send gravel comented	203 221
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	With blue clay	
Was a pump test made? T Yes No If yes, by whom? Driller		
Yield: 300 gal./min. with 10 ft. drawdown after 4 hrs.		
400 " 12" " same "		
" 600 " 18 " same "		
Bailer test gal./min. with ft. drawdown after hrs.	y to grant and the second and the se	
	- n	
Artesian flow g.p.m.		
mperature of water Depth artesian flow encountered ft.	Work started 9-14-74 19 Completed	9-30-74 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 10.	
Well seal—Material usedCenent	Drilling Machine Operator's Certification:	
Well sealed from land surface to	This well was constructed under my direct supervision	
Diameter of well bore to bottom of seal	Materials used and information reported above are true to my best knowledge and belief.	
Diameter of well bore below sealin.		
Number of sacks of cement used in well seal	[Signed] Dellas F Della Date 10-1-74, 19	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No752	
Brand name of bentonite		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	
of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is	
Was a drive shoe used? 🖸 Yes 🗌 No Plugi Size: location ft.	true to the best of my knowledge and belief.	
Did any strata contain unusable water? Thes X No	Name WILL DRILLING COMPANY (Person, firm or corporation) (Type or print)	
Type of water? depth of strata	1	
Method of sealing strata off	Address 7641 35th Ave. NE Salem, Oregon 97303	
1	[Signed] Emil O. Deier	
Was well gravel packed? ☐ Yes ▼ No Size of gravel:	(Water Well Contractor	•
Gravel placed fromft, toft.	Contractor's License No Date12-1	74., 19