NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

WATER WELL REPORT STATE ENGINEER, SALEM, OREGON 97310 WATER WELL REPO within 30 days from the date of well completion. WATER WELL REPO WATER WELL REPO (Please type or print)

OCT 2 1 1975 not write above this line)

State Permit No.

| (1) OWNER: SALEM OPEROV | (10) LOCATION OF WELL: | | |
|--|---|-----------------------------|--|
| ONLIN, OREGON | | | |
| Address 7503 Labish Center Road NE | County Morion Driller's well number 1917 | | |
| Salem, Oregon | | | |
| (2) TYPE OF WORK (check): | Bearing and distance from section or subdivision corner | | |
| New Well ₩ Deepening □ Reconditioning □ Ahandon □ | | | |
| If abandonment, describe material and procedure in Item 12. | (44) YII A MININ Y TOYYON CO | | |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | (11) WATER LEVEL: Completed well. | | |
| Potomy Cl. Prince Cl. | Depth at which water was first found 40 ft. | | |
| Cable 🖸 Jetted 🗆 Domestic 🗆 Industrial 🗆 Municipal 🗀 | Static level 5 ft. below land surface. Date 10-20-75 | | |
| Bored Irrigation X Test Well Other | Artesian pressure lbs. per squar | re inch. Date | |
| (5) CASING INSTALLED: Threaded Welded M | (19) WELL TOC | | |
| | (12) WELL LOG: Diameter of well below casing | | |
| "Diam. fromft. toft. Gage | Depth drilled 182 ft. Depth of completed well 182 ft. | | |
| " Diam. from ft. to ft. Gage | Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, | | |
| (d) DEDECT A MYONG | with at least one entry for each change of forma | tion. Report each change in | |
| (6) PERFORATIONS: Perforated? No I No. | position of Static Water Level and indicate prin | cipal water-bearing strata. | |
| Type of perforator used Mills Blade | MATERIAL | From To SWL | |
| Size of perforations 7/16 in. by 2 3/4 in. | Top Soil | 0 3 | |
| 750 perforations from 90 ft. to 155 ft. | Yellow Clay | 3 40 | |
| perforations from ft. to ft. | Brown sand | 40 52 | |
| perforations from ft. to ft. | Blue Clay | 52 85 | |
| (7) SCREENS: Well screen installed? These King | Black sand and gravel | 85 160 | |
| Work beleeff fillboarded. El 7cb. Am 140 | Gray Clay | 160 175 | |
| Manufacturer's Name Type Model No. | Brown sand and gravel | 175 182 | |
| Diam. Slot size Set from ft. to ft. | | | |
| Diam. Slot size Set from ft. to ft. | | | |
| The state of the s | | | |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level | | | |
| Was a pump test made? ▼ Yes □ No If yes, by whom? Driller | | | |
| 1: 300 gal./min. with 20 ft. drawdown after 4 hrs. | | | |
| 400 " 25 " same " | | | |
| " 500 " same " | | | |
| 600 F6 same | 2 1. m - | | |
| Bailer test gal./min. with ft. drawdown after hrs. | | | |
| tesian flow g.p.m. | | | |
| sperature of water Depth artesian flow encountered ft. | Work started Oct. 3, 19 75 Complete | d Oct. 20, 7519 | |
| (9) CONSTRUCTION: | Date well drilling machine moved off of well | October 20, 14975 | |
| in the second se | Drilling Machine Operator's Certification: | | |
| Well seal-Material used Cement Well sealed from land surface to 20 ft. | This well was constructed under my | direct supervision | |
| Diameter of well bore to bottom of sealin. | Materials used and information reported above are true to my best knowledge and belief. | | |
| Diameter of well bore below sealin. | | 30 00 5- | |
| Number of sacks of cement used in well seal 11 sacks | [Signed] Gonald W. M. Tun. Date 10-20-75 19 | | |
| Number of sacks of bentonite used in well seaf sacks | Drilling Machine Operator's License No | 536 | |
| Brand name of bentonite | Worker Wall Cond. | | |
| Number of pounds of bentonite per 100 gallons | Water Well Contractor's Certification: | | |
| of waterlbs./100 gals. | This well was drilled under my jurisdic true to the best of my knowledge and belie | tion and this report is | |
| Was a drive shoe used? La Yes No Plus Size: location ft. | Name WILLALETTE DRILLING COMPANY | | |
| Did any strata contain unusable water? Yes 🖾 No | (Ferson, 11rm or corporation) | (Type or print) | |
| Type of water? depth/f strata | Address 1450 Barnick Road NE S | alem Oregon | |
| Method of sealing strata off | 86 (1)(1) Va) 1. | 97303 | |
| Was well gravel packed? ☐ Yes ☑ No Size of gravel: | [Signed] (Water Well Contra | | |
| Gravel placed from ft. ft. | Contractor's License No2 Date1 | 0-20-75 | |
| (USE ADDITIONAL SHI | | , 19 | |