NOTICE TO WATER WELL CONTRACTOR The original and first ropy of this report are to be AFR 15 1969 filed with the

STATE OF OREGON STATE ENGINEER, SALEM OREGON 97310. (Please type or print) within 30 days from the date of well completion. State Well No.

State Permit No.

(1) OWNER:	(11) LOCATION OF WELL:			
Name Pete Lelack	County Marion Driller's well number 1379			
Address Rt. 1 Box 145, Brooks, Oregon 97305	¼ ¼ Section 13 T. 65	R. 2	W	W.M.
	Bearing and distance from section or subdivision	corner		
(2) TYPE OF WORK (check):				
New Well 🔀 Deepening 🗆 Reconditioning 🗀 Abandon 🗆				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing			
Cable W Jetted Domestic Industrial Municipal	Depth drilled 110 ft. Depth of comple	eted well	110	ft.
Dug Bored Irrigation 🕱 Test Well Other	Formation: Describe color, texture, grain size a	and structu	re of m	naterials;
CASING INSTALLED: Threaded □ Welded 🛣	and show thickness and nature of each stratus with at least one entry for each change of form	m and aqı ation. Rer	lifer pei ort each	netrated,
10 " Diam. from top ft. to 110 ft. Gage 250	in position of Static Water Level as drilling pro	ceeds. No	te drilli	ng rates.
" Diam. from ft. to ft. Gage	MATERIAL	From	то	swL
ft. Gage	Blueish Black Gumbo	O	17	
PERFORATIONS: Perforated? Wes No.	Bleek Crumbly Rotten dirt	17	38	
	Mud and gravel	38	42	
Type of perforator used Mills	Sticky black gumbo	42	70	
Size of perforations 2 in. by 3/8 in.	Gray sand	70	73	
	Sticky gray shale	73	. 80	
perforations fromft. toft.	Black sandy shale	80	85	
perforations from	Black sand and small gravel	85	90	
perforations from	Black sand and gravel (good)	90	110	1
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? Yes No				
Manufacturer's Name	and the News			
Type Model No.				
Diam. Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.				
(8) WATER LEVEL: Completed well.	·			
Static level 1 ft. below land surface Date 4-5-69				
sian pressure Ibs. per square inch Date				·
(0) WELL DECTS. Drawdown is amount water level is				
TOWELER DELOW PRODUCE				
Was a pump test made? Yes ☐ No Hyes, by whom? Driller Yield: 400 gal./min. with 100 ft. drawdown after 4 hrs.	Work started 3-20-69 19 Complet	ed 4-5-	-69	19
ried: A(1) gal./mm. with 100 is drawdown ares 4 ms.	Date well drilling machine moved off of well	4=5=6	59	19
n H = n H	Drilling Machine Operator's Certification:			-
	This well was constructed under my di			
	rials used and information reported above knowledge and belief.	e are tr	ue to 1	my best
Artesian flow g.p.m. Date	(d)	6247	60	10
Temperature of water Was a chemical analysis made? ☐ Yes ☐ No	[Signed] (Drilling Machine Operator)	LIMBERT.	K.U	., 18
(10) CONSTRUCTION:	Drilling Machine Operator's License No	74		
Well seal-Material used Drill cuttings Puddle Clay	Water Wall Control Control			
Depth of seal #	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is			
Diameter of well bore to bottom of seal 12in.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Were any loose strata cemented off! Yes X No Depth	NAME WILLAMETTE DRILLING COMPANY			
Was a drive shoe used? ☑ Yes ☐ No Did any strata contain unusable water ☐ Yes ☐ No	(Person, firm or corporation) (Type or print)			
Esth of stude	Address 7641 35th Ave. NE Salem.	Orego	n 9 7 3	03
	[Signed]			
Method of sealing strata off				
Was well gravel packed? ☐ Yes g No Size of gravel:			. 196	9
Gravel placed from ft.	Contractor's License No 2 Date	4444	2,	19