TICE TO WATER WELL CONTRACT GE FOR The original and first copy of this report are to the contract of the contr of this report are to be filed with the

of well completion.

filed with the STATE OF OREGON
STATE ENGINEER, SALEM, OREGON 97810
Within 30 days from the date
of well completion.

State Permit No. ....

(1) OWNER:	(11) LOCATION OF WELL:			
Name Paul Riggi	County Marion Driller's well number 1343			
Address Rt. 2 Box 470, Salem, Oregon 97305	¼ ¼ Section 14 T. 6S	R.	2W	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	n corner		
New Well   Deepening □ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.	•			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well	below casi	ng	
Rotary Driven Domestic Industrial Municipal Domestic Municipal	Depth drilled 70 ft. Depth of comp			ft.
Dug 🔲 Bored 🖂 🔝 Irrigation 🚡 Test Well 🖂 Other 📋	Formation: Describe color, texture, grain size			materials:
CASING INSTALLED: Threaded  Welded  10 Diam from	and show thickness and nature of each stratt with at least one entry for each change of for in position of Static Water Level as drilling pr	ım and ad nation. Re	uifer pe port eac	enetrated, ch change
" Diam. from	MATERIAL	From	То	SWL
" Diam. from		-		
	Top Soil	0	5	<del> </del>
PERFORATIONS: Perforated? Yes   No.	Gray Clay	5	_30	-
Type of perforator used Mills	Gravel	30_	_70	_5
Size of perforations 2 in. by 3/8 in.		<u> </u>		<del> </del>
410 perforations from 30 ft. to 65 ft.				
perforations from ft. to ft.			٠,	
perforations from ft. to ft.				
perforations from ft. to ft.				
perforations from				
(7) SCREENS: Well screen installed?   Yes Y No				
Manufacturer's Name Model No				
Diam. Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.				<u> </u>
		<del> </del>		ļ
(8) WATER LEVEL: Completed well.				-
Static level 3 ft. below land surface Date 8-20-68				-
ian pressure lbs. per square inch Date			<u>-</u>	1
(9) WELL TESTS:  Drawdown is amount water level is lowered below static level		·	·	
Was a pump test made? ☑ Yes ☐ No If yes, by whom? Driller				<u></u>
Yield: 300 gal./min. with 20 ft. drawdown after 6 hrs.		ted8=20.	-68	19
400 " 24 " 6 "	Date well drilling machine moved off of well 8	<u>-21-68</u>		19
<u>" 500 " 32 " 6 "</u>	Drilling Machine Operator's Certification:			-
gal./min. with 37 ft. drawdown after 6 hrs.	This well was constructed under my drials used and information reported abo	lirect sup	ervision	i. Mate- my best
Artesian flow g.p.m. Date	knowledge and belief.			•
Temperature of water Was a chemical analysis made? ☐ Yes ☐ No	[Signed] Monday Machine Operator)	Date8.	2 <b>1-6</b> 8.	, 19
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	53	5	
Well seal-Material used Drill cuttings, puddle clay				
Depth of seal	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal	This well was drilled under my juriso true to the best of my knowledge and bel	uction ar lef.	d this	report is
Were any loose strata cemented off? ☐ Yes ☑ No Depth	NAME WILLAMETTE DRILLING COMPANY (Person, firm or corporation) (Type or print)			
Was a drive shoe used? ♀️Yes □ Nc.  Did any strata contain unusable water □ Yes ♀️No	(Person, firm or corporation)	(Тур	e or print	)
Partie of stands	Address 7641 35th Ave. NE Sale	n.,Ore	g.on92	7303
	PODO Q			
Method of sealing strata off	[Signed] (Water Well Contra	ellk (ctor)	<u>/</u>	
Was well gravel packed? Yes No Size of gravel:	The state of the s	•	07 6	
Gravel placed fromft_toft.	Contractor's License No 2 Date A	ugust	4.La. 0	<del>7</del> 19