NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

MAY 12 WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

			chin sEI	
state	Well	No.	6/2w - 15L	

State Permit No. ...

2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
(1) OWNER:	(11) WELL TESTS: Drawdown is amount lowered below static le	vel	
Name D.W. LOWERY	Was a pump test made? Yes 🔲 No If yes, by whom		LLER
Address RT. I BOX 218 A	Yield: 400 gal./min. with 15 ft. drawdow	n after 8	hrs.
BROOKS, OREGON	<u>" 370 " 10 "</u>		
(2) LOCATION OF WELL:	<u>" 270 " 6 "</u>	8	
County MARION Driller's well number II33	Bailer test gal./min. with ft. drawdo	wn after	hrs.
34 Section 15 T. 6 S R. 2 W W.M.	Artesian flow g.p.m. Date		
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis	nade? ∐ Y	es No
	(12) WELL LOG: Diameter of well below ca	sing	
	Depth drilled I40 ft. Depth of completed we	11 I40	ft.
	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	l and struc the materio hange of f	ture, and il in each ormation.
	MATERIAL	FROM	то
(3) TYPE OF WORK (check):	TOP SOIL	0	3
Well	BROWN CLAY	3	40
ir abandonment, describe material and procedure in Item 12.	BLUE CLAY	40	60
	GRAY CLAY & SAND	60	90
(4) PROPOSED USE (check): (5) TYPE OF WELL:	BLACK SAND & GRAVEL	90	100
Domestic Industrial Municipal Rotary Driven Cable Jetted	BLACK SAND & GRAY CLAY	IOO	I05
Irrigation I Test Well □ Other □ Dug □ Bored □	BLACK SAND & GRAVEL	I05	I40
(A) CACTACO VACORATA VAD	DIROR DAND & GRAVED	100	
1			
Diam. Aviii			
" Diam. from			
" Diam. from ft. to ft. Gage			
(7) PERFORATIONS: Perforated?★ Yes □ No			
Type of perforator used MILLS			
Size of perforations 3/8 in. by 2 in.			
400 perforations from 90 ft. to 139 ft.			
ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
(8) SCREENS: Well screen installed? ☐ Yes X No		-	
Manufacturer's Name			
eModel No.		 	
Diam Slot size Set from ft. to ft.	Work started APRIL 201966 Completed AP	RIL 30	68
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well		19
(9) CONSTRUCTION:	(13) PUMP:		
Well seal—Material used in seal CEMENT & PUDDLE CLAY	Manufacturer's Name		
Depth of seal	Type:	 Y D	******************
Diameter of well bore to bottom of sealin.		.T.F	
Were any loose strata cemented off? ☐ Yes ☐ No Depth	Water Well Contractor's Certification:		
Was a drive shoe used?★ Yes □ No	This well was drilled under my jurisdiction	and this i	eport is
Was well gravel packed? Yes No Size of gravel:	true to the best of my knowledge and belief.		
Gravel placed from ft. ft.	NAME WILLAMETTE DRILLING CO		
Did any strata contain unusable water 🔲 Yes 🔲 No	(Person, firm or corporation) (Ty	pe or print)	
Type of water? depth of strata	Address RT. 2 BOX 276 SALEM, O	REGON	************
Method of sealing strata off	Drilling Machine Operator's License No		
(10) WATER LEVELS:	Diaming Machine Operator's License No.	``````````````````````````````````````	••••••
Static level 25 ft. below land surface Date 4/30/66	[Signed] Omil (Water Well Contractor)		
Artesian pressure lbs. per square inch Date	Contractor's License No. 2 Date APRII	30 IS	966
	HEETS IF NECESSARY)	,	, ±σ