NOTICE TO WATER WELL CONTRACTOR The original and first copy

within 30 days from the date

of well completion.

of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310

STATE OF OREGON SEP 2 6 1974

State Well No. 65/2W-/6

(Please type or printSTATE ENGINEER (Do not write above this SALEM, OREGON

Marion

State Permit No.

1854

Driller's well number

(1) OWNER: (10) LOCATION OF WELL: Name Albert J. Kramer Address 13589 Herron St Sylmor, California (2) TYPE OF WORK (check): New Well 🕅 Deepening Reconditioning Abandon [If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary Driven [Domestic 🔂 Industrial 🗌 Municipal 🗍 Jetted 🔲 Cable Bored [Irrigation | Test Well | Other | CASING INSTALLED: Threaded □ Welded ☑ 6 "Diam from top ft. to 105 ft. Gage 250 " Diam. from ft. Gage ft. Gage **PERFORATIONS:** Perforated? | Yes | No. Type of perforator used Size of perforations in. by in. perforations from _____ ft. to ____ perforations from _____ ft. to ____ ft. perforations from (7) SCREENS: Well screen installed? Yes No Manufacturer's Name Diam, Slot size Set from ft. to Diam. Slot size Set from ft. to ____ Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? ☐ Yes ☑ No If yes, by whom? gal./min. with ft. drawdown after hrs. gal./min. with 10 ft. drawdown after 1 hrs. Bailer test 20 Artesian flow g.p.m. perature of water Depth artesian flow encountered ... (9) CONSTRUCTION: Well seal-Material used Cement Well sealed from land surface to Diameter of well bore to bottom of sea 10 in. Diameter of well bore below seal in. Number of sacks of cement used in well seal _______ sacks Number of sacks of bentonite used in well seal Brand name of bentonite Number of pounds of bentonite per 100 fallons Was a drive shoe used? Tyes No Plugs Size: location ft. Did any strata contain unusable water? Yes 1 No Address 7641 35th Ave. NE Salem, Oregon 97303 Type of water? depth of strata Method of sealing strata off [Signed] Was well gravel packed? ☐ Yes ☑ No Size of gravel: ... Contractor's License No. 2 Date 9-3-74 , 19 Gravel placed from

14 14 Section 16 T. 6S	R. 2W	<u> </u>	W.M.
Bearing and distance from section or subdivis-	ion corne	er	5.5
			
(11) WATER LEVEL: Completed w	æll.		
Depth at which water was first found	61		ft.
Static level 59 ft. below land	surface.	Dateq_	1-74
Artesian pressure lbs. per squar		Date	
(12) WELL LOG: Diameter of well	helow car	sing	
Depth drilled 105 ft. Depth of compl			ft.
Formation: Describe color, texture, grain size and show thickness and nature of each stratuwith at least one entry for each change of forma position of Static Water Level and indicate primary.	and struc m and a tion. Rep	ture of a quifer pe	materials; enetrated, change in
MATERIAL	From	То	SWL
Top Soil	0	3	
Brown clay	3	61	
Slue clay & Black sand	61	68	
Brown clay and black sand	- 68	80	
Gray Clay	80	93	
Brownish blue clay /Brown san	1 :	Grave	1
Brown sand and gravel	93	100	
- Elever	100	105	
•			
			·
7. 40.			
			 .
==			
Work started 8-29-74 19 Complete	d 9.	-1-74	19
Date well drilling machine moved off of well		1-74	19
Drilling Machine Operator's Certification: This well was constructed under my Materials used and information reported pest knowledge and belief. [Signed] Mark D Bun [Drilling Machine Operator]	direct above a	super ire true	vision. to my
Orilling Machine Operator's License No	311		**************************************
Water Well Contractor's Certification:			
This well was drilled under my jurisdic rue to the best of my knowledge and beli	ef.	d this re	eport is
Name WILL METTE DRILLING COMPA (Person, firm or corporation)		e or prin	<u>.</u>