
STATE ENGINEER



- Salem, Oregon	MAR		ADDITON TOTAL	NO: GR-3472
	W. —		MPPLIONTION	0 1 0-
OWNER: John John	nson Kabatoff	MAILING ADDRESS: .	Route 2, Box 311	B 1243
LOCATION OF WEL	L: Owner's No	CITY AND STATE:	Salem, Oregon	
	19 T. 6 S, R. 2 V			
Bearing and distance f	irom section or subdivision			
•	E. and 4 chains S.			
COLLICERKINHINI	Fig. 60-400 (11-12-12-12-12-12-12-12-12-12-12-12-12-1			
***************************************	M-0-1	•		-
**************************************	,			
A 7.1. 7		pa . (ano es ese es re-r		
TYPE OF WELL: dr	illed Date Constructed 1	.950		
Depth drilled93	Depth cased93!	948844 6444 F.	Section	*******
CASING RECORD:				
0				
811				
FINISH:			······································	
ا , wide	4" long, 5 to the foot p	erforations f	rom 81 to 93	
AQUIFERS:				
topsoil,	clay, sand, gravel			
WATER LEVEL:			, .	
55 t				
	ENT: Type Jacuzzi Turbir	ne .		нр 10
Capacity	G.P.M.		,	· 企业(A
WETT TERRET.				
Drawdown35	ft. after			
Drawdown	ft. after	hours		G.P.M
USE OF WATER I	rrigation	Temp	°দ'	19
SOURCE OF INFOR	MATION GIGGE			00 00 100 00 00 00 00 00 00 00 00 00 00
DRILLER or DIGGE	CR		1994 DE BONS DESCRIPTION OF STATES OF SECTION SECTIONS	######################################
ADDITIONAL DATA	a: er Level Measurements	Chemical An	alysis Aqui	fer Test
REMARKS:			1	
Topsoil			0 3	
Yellow cl	.ay		3 38 38 43	
Yellow sa			3 38 38 43 43 78	
Blue clay Water, wo	ind and gravel		43 78 78 93	

STATE ENGINEER MARILEMS We	l Record	STATE WELL COUNTY	NO. 6/2 Marion	<u> </u>
	/	APPLICATION		
OWNER: J. J. Kabatoff	MAILING ADDRESS:		5	2 • f 3
LOCATION OF WELL: Owner's No	CITY AND			
N. S., R	TS			
Bearing and distance from section or subdivision				
	1			
corner		,	į	
	·		_	
***************************************	****************			
(a pro secondo segrato bar 1,000 da la gâma b secono pro est acomo malmos de secondo a constituição da secondo				
Altitude at well				
TYPE OF WELL: Drilled Date Constructed	·	i l		
 		- · · · · · · · · · · · · · · · · · · ·		J
Depth drilled 93 Depth cased 9		Section		
CASING RECORD:		•		
8 inch				
o man				
FINISH:				
Casing perforated 81 to 93				
case. B Personal of the 7,5				
AQUIFERS:				
Sand and gravel from 78 to 93				
WATER LEVEL: 55 feet below land surface, Aug	nst, 1950			
	Turbine		מט	10
PUMPING EQUIPMENT: Type G.P.M.	- 4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4		D.F	
				····
WELL TESTS: Drawdown ft. after	hours			G.P.M
	1.5			

Drawdown _____ ft. after _____ hours _____ G.P.M.

DRILLER or DIGGER

ADDITIONAL DATA:

REMARKS:

STATE ENGINEER Salem, Oregon

mari 4245

State Well No.	6/2W-19K(1)			
•	Marion			
Application No.				

Well Log

g 3 of 3

vner: J. J. Kabatoff	Owner's No.				
iller:	77 (77 III - 1				
CHARACTER OF MATERIAL	(Feet below last	nd surface) To	Thickness (feet)		
Top soil	0	3	3		
Clav, yellow	3	38	35		
Sand, yellow	38	गउ	5		
Clay, blue	43	78	35		
Sand and gravel, water-bearing	· 78	93	15		
Casing: 8-inch to 93 feet: perforated					
from 81 to 93 feet.					
			1		