

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT STATE OF OREGON OCT 16 1967 STATE ENGINEER SALEM, OREGON

MAR. 7.318

State Well No. 6/2w-21 K

State Permit No.

G-4364

(1) OWNER:

Name Ruth Harris Address Rt. 1 Box Brooks, Oregon

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

(5) CASING INSTALLED:

10" Diam. from top ft. to 80 ft. Gage 250

(6) PERFORATIONS:

Perforated? [x] Yes [] No. Type of perforator used Mills Size of perforations 2 in. by 3/8 in. 490 perforations from 42 ft. to 80 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 10 ft. below land surface Date 10/4/67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [] No If yes, by whom? Yield: 400 gal./min. with 50 ft. drawdown after 5 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 55 Was a chemical analysis made? [] Yes [] No

(10) CONSTRUCTION:

Well seal—Material used Cement & Puddle clay Depth of seal 20 ft. Diameter of well bore to bottom of seal 14 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [x] Yes [] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Marion Driller's well number 1266 1/4 Section 21 T. 6S R. 2 W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 80 ft. Depth of completed well 80 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top soil, Yellow Clay, Brown sandy silt, Gray clay, Brown sand & gravel, Gray clay.

Work started 9/18/67 19 Completed 10/4/67 19 Date well drilling machine moved off of well 10/5/67 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Kenneth A. Wagner & Co. Date 10/4/67 19 (Drilling Machine Operator)

Drilling Machine Operator's License No. 474

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME WILLAMETTE DRILLING COMPANY (Person, firm or corporation) (Type or print)

Address Rt. 2 Box 276, Salem, Oregon

[Signed] Emil O. Beier (Water Well Contractor)

Contractor's License No. 2 Date 10/4/67 19