TRIPLICATE File Original and	WATER	WELL REPORT	State We	ell No. 4/1W-1	1<11)
Duplicate with the STATE ENGINEER, SALEM, OREGON	PATE STAT	E OF QREGON	61635 State Per	rmit No	
(1) OWNER:	MA	(11) WELL	TESTS: Drawdov lowered	wn is amount water lev below static level	
A ess Rt. 2 Box 109			made? [] Yes X No I		
Assesses Oregon	Yield:	gal./min. with	ft. drawdown after	hrs.	
		,,	**	**	
(2) LOCATION OF WELL:		Bailer test 30	gal./min. with 25	ft. drawdown after	hrs.
	ımber, if any—	Artesian flow	g.p.m.		<u>m</u> 1118.
34 34 Section T Bearing and distance from section or subdivis		W.M. Temperature of v		cal analysis made?	Yes 🍱 No
Bearing and distance from section of subdivis	ion corner	(10) 77777 7		4	
	gangin nepropied to \$25, 127	(12) WELL 1		eter of well	inches.
				completed well 12	
		show thickness of stratum penetrate	ribe by color, character, f aquifers and the kind o ed, with at least one en	size of material and str ind nature of the mate try for each change of	ucture, and rial in each formation.
			MATERIAL	FROM	TO
TYPE OF WORK (check):		_clay		0	5
	nditioning [ Abando	on 🗆 brown sil	<b>.</b>	5_	12
If abandonment, describe material and proced	lure in Item 11.	brown_sam	d and silt	12	21_
PROPOSED USE (check):	(5) TYPE OF WELL	Hard pack	ed brown sand	21	21,
Pomestic F Industrial   Municipal	Rotary   Driven	Blue clay	with some sand	21	41
tion Test Well Other	Cable Jetted	□ Blue cla	y and WI silt	117	82
	Dug   Bored		ith small laye		
(6) CASING INSTALLED: Th	readed 🗌 Welded 🏾	free Ind	X mand	82	7.01
5/8.0D Diam. from ft. to .11	19-6" ft. Gage 17-0	2# Blue clay	647+	93 1.0h	100
	ft. Gage	Rine sand	277A	110	117
Time.	ft. Gage	Rive sand	and amount	117	120
(7) PERFORATIONS: Per Type of perforator used SIZE of perforations in. by perforations from the second seco	in ft. to				``.
perforations from	ft. to	ft.			
perforations from	ft. to	ft.			<del></del>
perforations from	ft. to	ft.			<del> </del>
perforations from	ft. to	<u>ft.</u>			
(8) SCREENS: Well screen if facturer's Name					1
ype					
am Slot size Set from		ft.			
Diam, Slot size Set from	ft. to	ft. Work started Oc	+ 2 19 KO C	Completed Oct. 13	19 50
(0) CONSTRUCTION:	<del> </del>	(13) PUMP:			
well gravel packed? 🗌 Yes 🔁 No Siz	e of gravel:	1 '	ame		
Gravel placed from ft. to ft.		**·	int interest		
Was a surface seal provided?   Yes   No	To what depth?	. ft.	100		
Material used in seal—		— Well Driller's S	atement:		
Did any strata contain unusable water?			as drilled under my j		report is
Type of water? Depth of	strata	true to the best	of my knowledge and	Deller.	
Method of sealing strata off		— NAME	(Person, firm, or corporati	(ILLING (Type or pri	nt)
(10) WATER LEVELS:		4	Portland Rd., I		
		- <del></del>		······································	-
	are inch Date	Driller's well nu	umber	111 /	
Log Accepted by:	40	[Signed]	Well Dril	If Chel	************
[Signed] Date	, 19.	License No.		ateOct_12	19 <b>50</b>