

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

Do not write above this line

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED APR 8 1968 STATE ENGINEER SALEM, OREGON

9/625 MARI... 6/2w-31 P 7/20-6

State Well No. 7/20-6

State Permit No. G-4329

(1) OWNER:

Name CLIFFORD D. CONRAD Address 794 WEAVERS DR. N.E.

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

CASING INSTALLED:

8" Diam. from 1 ft. to 62 ft. Gage 250

PERFORATIONS:

Type of perforator used Mills Size of perforations 3/8 in. by 1 3/4 in. 376 perforations from 34 ft. to 57 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 45 ft. below land surface Date 4-12-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [X] Yes [] No If yes, by whom? Yield: 500 gal./min. with 14 ft. drawdown after 1 hrs. 460 " 9 " 1 " 270 " 6 " 1 "

(10) CONSTRUCTION:

Well seal—Material used BENTONITE & CRUSHED ROCK Depth of seal 25 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Marion Driller's well number 1/4 Section 6 T. 7, S. R. 2, W. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8

Depth drilled 62 ft. Depth of completed well 62 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: BLACK - Soil (0-2), BROWN - SANDY CLAY (2-28), SMALL to MED. GRAVEL (28-58), BROWN - CEMENTED GRAVEL (58-60), MED. GRAVEL & SAND (60-62)

Work started 4-10 1968 Completed 4-12 1968

Date well drilling machine moved off of well 4-12 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Norman Tensell Date 4-12, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 455

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Miller - Robin Son of J. & R. ST (Person, firm or corporation) (Type or print)

Address 5540 Vasquez St - S.E. SALAM

[Signed] Arthur R. Miller (Water Well Contractor)

Contractor's License No. 37 Date 4-12, 1968