STATE ENGINEWATER WELL REPORT

6/2W-32G11)

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

EALEM, CRECOM STATE OF OREGON

/ 04-4-	*****		4			
State	Well No.	******	******	•••••		 
<b></b>	APP		~ ·	* ~		
State	Permit No	ي	ټۍ.	L	4.7.	 

(1) OWNER: Name Waldo Gilbert	(11) WELL TESTS: Drawdown is amount water level is lowered below static level						
Address 4993 Hazel Green Rd.	Was a pump test made? Yes 🔲 No If yes, by whom?						
Salem, Oregon	Yield: gal./min. with ft. drawdown after hrs.						
(A) I OCIMION OF WITH	n n n						
(2) LOCATION OF WELL:  County Marion Owner's number, if any—	Bailer test gal./min. with ft. drawdown after hrs.						
	Artesian flow g.p.m. Date						
14 14 Section T. R, W.M. Bearing and distance from section or subdivision corner	Temperature of water 56 Was a chemical analysis made?   Yes   No						
bearing and distance from Section of Subdivision corner							
App	(12) WELL LOG: Diameter of well LO inches.						
PERMIT # G- 1247	Depth drilled 101 ft. Depth of completed well 101 ft.						
<u>*</u>	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.						
(0) EXTENT OF WORK ( I 1)	MATERIAL FROM TO						
(3) TYPE OF WORK (check):	Top Soil 0 2 Yellow Clay 2 12						
New Well Deepening Reconditioning Abandon Section 11.							
abandonnent, describe material and procedure in Item 11.							
PROPOSED USE (check): (5) TYPE OF WELL:							
Domestic   Industrial   Municipal   Rotary   Driven							
Irrigation T Test Well Other Dug Bored	Sand & gravel(some clay) 81 86 Sand & Gravel (Water) 86 101						
24 Dag [] Dozed []	Sano & Graver (Mater) OO IOI						
(6) CASING INSTALLED: Threaded Welded W							
10 "Diam. from Top ft. to 101 ft. Gage 31.20#							
" Diam. from ft. to ft. Gage	(PUMP TEST)						
(7) PERFORATIONS: Perforated? H Yes  No							
7.7 A 10 M	400 GPM @ 72 ft.						
	350 <sup>II</sup> @ 67						
SIZE of perforations $1/4$ in. by $12$ in.  400 perforations from $72$ ft. to $100$ ft.	270 11 @ 60						
perforations fromft. toft.	250 " @ 58						
perforations fromft, toft.	200 " @ 53						
perforations fromft. toft.	150 ** @ 48						
perforations fromft. toft.							
(8) SCREENS: Well screen installed ☐ Yes X☐ No							
Manufacturer's Name							
Type Model No							
Slot size Set from ft. to ft.							
Slot size Set from ft. to ft.	Work started 12-14-5819 . Completed 3-3-59 19						
(9) CONSTRUCTION:	(13) PUMP:						
Was well gravel packed? ☐ Yes \$\frac{1}{2}\$ No Size of gravel:	· · · · · · · · · · · · · · · · · · ·						
Gravel placed fromft. toft.	Manufacturer's Name  Type: H.P.						
Was a surface seal provided? LYes   No To what depth 20 ft.	Type						
Material used in seal— Puddled Clay	Well Driller's Statement:						
Did any strata contain unusable water? 🔲 Yes 💢 No	This well was drilled under my jurisdiction and this report is						
Type of water? Depth of strata	true to the best of my knowledge and belief.						
Method of sealing strata off	NAME Orville Wymore						
(10) WATER LEVELS:	(Person, firm, or corporation) (Type or print)						
Static level 38 ft. below land surface Date 3-7-59	Address Rt1 Brooks, Oregon						
Artesian pressure lbs. per square inch Date	A60						
AND POR DEMANDA AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	Driller's well number 469						
Log Accepted by:	[Signed] Mulle Wymare						
Signed Wallo Gulled Date 6 Mar, 1939	(Well Willer)						
(Owner)	License No. 88 Date 3-7-59 19						