

MARI... 4676

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

State Well No. 6/2w-32H State Permit No. G24-29

(1) OWNER:

Name A.J. LE MAY Address RT. 2 BOX 408 SALEM, ORE.

(2) LOCATION OF WELL:

County MARION Driller's well number 760 1/4 Section 32 T. 6 R. 2W W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

Well [X] Deepening [] Reconditioning [] Abandon []

PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(6) CASING INSTALLED:

8" Diam. from TOP ft. to 112 1/2 ft. Gage

(7) PERFORATIONS:

Perforated? [X] Yes [] No Type of perforator used MILLS Size of perforations 1/2 / 2 in. by 376 perforations from 65 ft. to 112 1/2 ft.

(8) SCREENS:

Well screen installed [] Yes [X] No Manufacturer's Name Model No. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal PUTTLE CLAY & CEMENT Depth of seal ft. Was a packer used? Diameter of well bore to bottom of seal in. Were any loose strata cemented off? [] Yes [] No Depth Was a drive shoe used? [X] Yes [] No Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [] Yes [] No Type of water? Depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level 43 ft. below land surface Date Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom? DRILLER Yield: 400 gal./min. with 13 ft. drawdown after 6 hrs. 250 " 8 " 6 " 205 " 8 " 6 " 180 " 8 " 6 "

(12) WELL LOG:

Diameter of well below casing 8 Depth drilled 112 1/2 ft. Depth of completed well 112 1/2 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with 3 columns: MATERIAL, FROM, TO. Rows include TOP SOIL, YELLOW CLAY, YELLOW SANDY SILT, YELLOW SANDY SHALE, BROWN SAND & GRAVEL & WATER, BROWN SAND GRAVEL CEMENT TIGHT, SAND GRAVEL LOOSE & WATER.

Work started JULY 27, 62 Completed AUG. 1 19 62 Date well drilling machine moved off of well AUG. 1 19 62

(13) PUMP:

Manufacturer's Name Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME WILLAMETTE DRILLING CO. (Person, firm or corporation) (Type or print) Address RT. 2 BOX 276 SALEM, ORE.

Drilling Machine Operator's License No. 141 [Signed] Emil O. Baier (Water Well Contractor) Contractor's License No. 2 Date AUG. 2 19 62