

The original and first copy of this report are to be filed with the

RECEIVED MAY 20 1973

WATER WELL REPORT

4701 MARI

3320

65/2W-34

STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) SALEM ORLSON

State Well No. State Permit No. 65108

(Do not write above this line)

(1) OWNER:

Name VINCENT WOODS Address 3697 - 34TH N.E.

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

(5) CASING INSTALLED:

10" Diam. from 1 ft. to 123 ft. Gage 250

(6) PERFORATIONS:

Perforated? [x] Yes [] No. Type of perforator used MILLS Size of perforations 2 1/8 in. by 2 in. 240 perforations from 95 ft. to 105 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level. Was a pump test made? [x] Yes [] No If yes, by whom? MILLER & WEST 550 gal./min. with 50 ft. drawdown after 4 hrs.

(9) CONSTRUCTION:

Well seal-Material used C.P. MORTAR Well sealed from land surface to 30 ft. Diameter of well bore to bottom of seal 15 in. Diameter of well bore below seal 10 in. Number of sacks of cement used in well seal 4 sacks Number of sacks of bentonite used in well seal 0 sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [x] Yes [] No Plugs Size: location ft. Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County MARION Driller's well number NW 1/4 NE 1/4 Section 37 T. 4, S. R. 2, W W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 60 ft. Static level 43 ft. below land surface. Date 5-21-73 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 10 Depth drilled 123 ft. Depth of completed well 123 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include SOIL, BROWN-CLAY, BLUE-11, BROWN-11, 11 SAND, and MIXED GRAVEL.

Work started 5-1 1973 Completed 5-21 1973 Date well drilling machine moved off of well 5-21-1973

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Bill Setters (Drilling Machine Operator) Date 5-21, 1973

Drilling Machine Operator's License No. 651

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name MILLER & WEST (Person, firm or corporation) (Type or print)

Address 5895 GAFFIN RD. S.E.

[Signed] (Water Well Contractor)

Contractor's License No. 37 Date 5-21-1973