NOTICE TO WATER WELL CONTRACTOR

The original and first conv of this report are to be filed with the

STATE ENGINEER, SALEM OREGON 9731

Was well gravel packed? 🗌 Yes 🗷 No

Gravel placed from

WATER WELL REPOETCEIVED

MAR 2 9 1977 State Well No. (05 2 W 32)

STATE OF OREGON

(Please type or print)

within 30 days from the date of well completion.	(Do not write al	DOVE WILLIER RESOURCES DEPT. No.
(1) OWNER:	,	(10) LOCATION OF WELL:
Name Ellis Cunlife c/o Joe Ditchen .	•	County Marion Driller's well number 2014
Address 6007 Haneleman Pd MF		

(1) OWNER:	(10) LOCATION OF WELL:		
Name Ellis Cunlife c/o Joe Ditchen	County Marion Driller's well number 2014		
Address 6997 Hazelgreen Rd. NE	4 14 Section 34 T.6S R.2W	W.M.	
Salem, Oregon 97303	Bearing and distance from section or subdivision corn		
(2) TYPE OF WORK (check):	Dearing and distance from section of subdivision corn	er	
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) THE APPEND TO THE STATE OF		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.		
Rotary Driven D	Depth at which water was first found 80	ft.	
Cable 3 Jetted \square Domestic \square Industrial \square Municipal \square	Static level 49 ft. below land surface.	Date 3/21/77	
Dug ☐ Bored ☐ Irrigation 🙀 Test Well ☐ Other ☐	Artesian pressure lbs. per square inch.	Date	
CASING INSTALLED: Threaded Welded 2.250 12 "Diam from top ft to 232 ft Gage 250 "Diam from ft to ft Gage 7.250 PERFORATIONS: Perforated? 7.2 Ves 7.200	(12) WELL LOG: Diameter of well below or Depth drilled 232 ft. Depth of completed we Formation: Describe color, texture, grain size and stru and show thickness and nature of each stratum and a with at least one entry for each change of formation. Reposition of Strate West or each change of formation.	11 232 ft. cture of materials; aquifer penetrated, port each change in	
Totaled: Mr 1cs 110.	position of Static Water Level and indicate principal wo	iter-bearing strata.	
Type of perforator used Mills Knife	MATERIAL From	To SWL	
1464 121 228	Topsoil 0	2	
1464 perforations from 121 ft. to 228 ft.	Brown Clay 2	23	
perforations from ft. to ft.	Blue Sticky Clay 23	51	
perforations from ft. to ft.	Gray Sticky Clay 51	80	
(7) SCREENS: Well screen installed? I Ves T No.	Brown Sandy Clay 80	91	
West percent unsumed. If ten	Cemented Brown Sand and Gravel91	115	
Manufacturer's Name	Brown Sand and Gravel, Clay 115	145	
Type Model No ft. to ft.	Cemented Brown Sand and Gravel 14	5 232	
Diam. Slot size Set from ft. to ft.		ļ	
Set iron It. to It.		<u> </u>	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		 	
Was a pump test made? ▼ Yes □ No If yes, by whom? driller			
Violating 250 may be 12 may 2			
500 gai./min. with 12 ft. drawdown after 2 hrs.			
600 35 "			
" J) " Z "			
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
perature of water 54 Depth artesian flow encountered ft.	Work started 2/1/77 19 Completed 3/2	1/77 19	
(9) CONSTRUCTION:	Date well drilling machine moved off of well 3/2	2/77 19	
Well seal—Material used Portland Cemhh	Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct Materials used and information reported above best knowledge and belief. [Signed]	are true to my	
Number of a day of the control of th	Drilling Machine Operator's License No	811	
Brand name of bentonite			
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of waterlbs./100 gals.	This well was drilled under my jurisdiction a	nd this report is	
Was a drive shoe used? ★ Yes □ No Plugs Size: location ft.	true to the best of my knowledge and belief.		
Did any strata contain unusable water? Yes No	Name Willamettte Drilling Co. (Person, firm or corporation) (T	uma on mint	
		ype or print)	
	Address 1450 Barnick Rd. NE Salem. O	regon 77,303	
Method of sealing strata off	[Signed] & Jallan & Weers		

Size of gravel:

ft. to

(Water Well Contractor)

Contractor's License No. 561 Date 3/22/77