NOTICE TO WATER WELL CONTRACTOR WATER WELL REPORECEIVED The original and first con 1973 State Well No. 65/2W-3 of this report are to be filed with the STATE OF OREGON STATE ENGINEER, SALEM, OREGON 973 (Do not write above this line STATE ENGINEER ate Permit No. (3. 1862 (Please type or print) within 30 days from the date of well completion. SALEM OREGON (10) LOCATION OF WELL: (1) OWNER: County Marion Driller's well number Ray McKibben Rt2 Salem, reg N.W. 1/4 S.W. 1/4 Section 35 W.M. Address Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening X Reconditioning [3] Abandon [If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Orig Static level ft. below land surface. Date 10-11-7 Domestic 🛣 Industrial 🗌 Municipal 🗍 Cable Jetted Irrigation Test Well Other Dug Bored Artesian pressure lbs. per square inch. Date) CASING INSTALLED: Threaded [] Welded X (12) WELL LOG: Diameter of well below casing 8 " Diam from 0 ft. to 1935 ft. Gage 250 Depth drilled 195 ft. Depth of completed well 703 ______ ft. to ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? Yes No. Mills Knife MATERIAL. SWT. Type of perforator used From Size of perforations in. by Gravel Cemented 114 12 1123 Sand, Course, Gravel to 374 Gravel to 3", Cemented Gravel to 1", Loose 282 perforations from 114 ft. to 178 ft. 136 158 _____ perforations from _____ ft. to _____ ft. Gravel, Cemented 166 18 (7) SCREENS: Well screen installed?
Yes
No 181 Sand . Medium 190 Manufacturer's Name Gravel, Cobbles to 2 1/2" 190 Diam. Slot size Set from Diam. Slot size Set from Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? ☐ Yes ※ No If yes, by whom? · bleiV gal./min. with ft. drawdown after hrs. air gal./min. with 90 ft. drawdown after Roller test 300 Artesian flow g.p.m. mperature of water Depth artesian flow encountered 19 73 Completed 10-17 Work started 10↔2 Date well drilling machine moved off of well 10-11 73 (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal—Material used Bentonite and Puddled cla This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to best knowledge and belief. [Signed] II Belandson (Drilling Machine Operator) Date 11/5/73 10 Number of sacks of cement used in well seal Drilling Machine Operator's License No. .. Number of sacks of bentonite used in well seal Brand name of bentonite International Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name R. Stadeli& Sons Inc. Was a drive shoe used?凇 Yes □ No Plugs Size: location ft. (Person, firm or corporation) Did any strata contain unusable water?

Yes XNo Silverton, Oreg. Type of water? depth of strata Method of sealing strata off (Water Well Contractor) Was well gravel packed? 🗌 Yes 🕱 No Size of gravel: Date 11/5/73

Gravel placed from

Contractor's License No.296