NOTICE TO WATER WELL CONTRACTOR TO LEAD THE OFFICIAL OF THE OFFICE TO WATER WELL REPORT

filed with the

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310

Within 30 days from the date

Of Well completion

Of Well completion

State Well No. 6

of well completion.	above this line) State Permit No
(1) OWNER:	(11) LOCATION OF WELL:
Name William Downer	County Marion Driller's well number 1321
Address 9700 River Road NR Salem, Oregon 97303	14 14 Section 7 T. 68 R. 3ty W.M
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing
Cable Jetted Domestic Industrial Municipal	Depth drilled 140 ft. Depth of completed well 140 ft
Dug Bored Irrigation Test Well Other	Formation: Describe color, texture, grain size and structure of materials
(S, CASING INSTALLED: Threaded Welded Welded	and show thickness and nature of each stratum and aquifer penetrated with at least one entry for each change of formation. Report each change
10." Diam, fromtopft. to140ft, Gage250	in position of Static Water Level as drilling proceeds. Note drilling rates
ft. toft. Gage	MATERIAL From To SWL
ft. toft. Gage	Top Soil 0 2
PERFORATIONS: Perforated? Yes No.	Yellow Clay 2 65
Type of perforator used Mills	Black sand 65 82
	Blue Clay 82 90
Size of perforations 2 in. by 3/8 in. 510 perforations from 90 ± ft. to 140 ft.	Gravel 90 140 35
perforations from ft. to ft.	
perforations from	
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name	
Type Model No. Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WATER LEVEL: Completed well.	
State level 35 ft. Low land surface Date 6-17-68	
Arcesian pressure III per square inch Date	
(9) WELL TESTS: Drawdowlis amount water level is lowered bew static level	
Was a pump test made? Yes No If yelby whom? Driller	Work started Targer T CO 10 Committee T
700 gal./min. with 17 drawdown after 3 hrs.	Work startedJune 7, 68 19 Completed June 17, 6819
600 " 3 "	Date well drilling machine moved off of well June 18, 1968 19
<u>" 500 " 5 " 3 "</u>	Drilling Machine Operator's Certification:
Bailer test gal./min. w ft. drawdown after hrs.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best
Artesian flow g.p. Date	knowledge and belief.
Temperature of water Was a maical analysis made? ☐ Yes ☐ No	[Signed] Royald W. Motton Date June 18, 19.68.
	(Drilling Machine Operator)
(10) CONSTRUCTION:	Drilling Machine Operator's License No536
Well seal-Material used Drill intings and puddle clay	
Deput of Seat	Water Well Contractor's Certification:
Diameter of wen bore to bottom of act	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Were any loose strata comenced only	•
Was a drive shoe used?	NAME WILLAMETTE DRILLING CCMPANY (Person, firm or corporation) (Type or print)
t atrata	Address 7641 35th Ave. NE Salem, Oregon 97303
	PYDDY.
Method of sealing strata off	[Signed] (Water Well Contractor)
was well graver packed.	
Gravel placed fromftft.	Contractor's License No. 2 Date June 18, 68, 19