NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

G3319

WATER WELL REPORT
STATE OF OREGON
(Please type or print)

			1/2,
State	Well	No.	6/3W-12

State Permit No. ..

(1) OWNER: Name ROBERT H. CLARK	(11) WELL TESTS: Drawdown is amount water level is lowered below static level  Was a pump test made? X Yes D No If yes, by whom? DRILLER		
Address RT.I BOX 2I BROOKS, OREGON	Yield: 700 gal./min. with IO ft. drawdown after		
	2) 1) ))	**	
(2) LOCATION OF WELL:		**	
County MARION Driller's well number 857	Bailer test gal./min. with ft. drawdown after	er hrs.	
14 14 Section I2 T. 6 S R. 3 V	.M. Artesian flow g.p.m. Date		
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made?	∐ Yess ∐ No	
	(12) WELL LOG: Diameter of well below casing		
	D-41 4 11 4 60	60 ft.	
	Formation: Describe by color, character, size of material and show thickness of aquifers and the kind and nature of the mostratum penetrated, with at least one entry for each change	structure, and terial in each of formation.	
	MATERIAL FRO	M TO	
(3) TYPE OF WORK (check):	TOP SOIL 0	1	
Well Deepening Reconditioning Abando	DDOUBT CTTM	8	
bandonment, describe material and procedure in Item 12.	BLUE CLAY 8	T2	
(4) PROPOSED USE (check): (5) TYPE OF WEI	BLACK SAND		
	L: BROWN SAND & CRAVEL 39	60	
Cable Jetted			
Irrigation Test Well   Other   Dug   Bored			
(6) CASING INSTALLED: Threaded □ Welded 🍱			
IZ Diam from TOP ft. to 60 ft. Gage 250			
" Diam. fromft_ toft. Gage			
(7) PERFORATIONS: Perforated?  Yes  No			
Type of perforator used MILLS  Size of perforations 4 in, by 2 in,			
· · · · · · · · · · · · · · · · · · ·			
perforations from ft. to	ft.		
700 20 59	I.b.		
perforations fromft. to	ft.		
perforations fromft. to			
POLITICATIONS HOUR			
(8) SCREENS: Well screen installed ☐ Yes M No	100		
Manufacturer's Name			
peModel No	***************************************		
Diam Slot size Set from ft. to	ft. Work started AUG. 13 163. Completed AUG. 23	19 63	
Diam Slot size Set from ft. to ft. to	ft. Date well drilling machine moved off of well AUG. 24	<sup>19</sup> 63	
(9) CONSTRUCTION:	(13) PUMP:		
Well seal—Material used in seal CEMENT & PUTILE CAA			
Depth of sealft. Was a packer used?	Manufacturer's Name		
Diameter of well bore to bottom of seal 14 in.	Type: H.P.	***************************************	
Were any loose strata cemented off? Tes \( \Bar{\text{No}} \) No \( \Depth \)	Water Well Contractor's Certification:		
Was a drive shoe used? Yes \( \text{No} \)	This well was drilled under my jurisdiction and th	ia manaut is	
Was well gravel packed? Yes No Size of gravel:	true to the best of my knowledge and belief.	re report 18	
Gravel placed fromft.	WITTIA		
Did any strata contain unusable water. Tes INo	NAME WILLAMETTE DRILLING CO. (Type or )		
Type of water?  Dapth of strata	Address RT.2 BOX 276 SALEM, OREGON	vr 1119)	
Method of sealing strata off		***********	
	= Drilling Machine Operator's License No. 14I		
(10) WATER LEVELS:	[Signed] Emil O. Beier		
Static level 2 ft. below law surface Date	(Water Well Contract	**************	
Artesian pressure lbs. per guare inch Date	Contractor's License No. 2 Date 8/24/63	5 19	