

4904
MARION

State Well No. 6/3W-14
State Permit No.

(1) OWNER:

Name KEN MOISAN
Address RT-1 BOX 335 A ALBANY ORE.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
6" Diam. from 0 ft. to 40 ft. Gage 4
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.

Type of perforator used

Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Bailer test 40 gal./min. with 16" ft. drawdown after 1 hrs.
Artesian flow g.p.m.

Temperature of water 57° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used WELL JELL
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 10" in.
Diameter of well bore below seal 6" in.
Number of sacks of cement used in well seal NONE sacks
Number of sacks of bentonite used in well seal 34 sacks
Brand name of bentonite WELL JELL
Number of pounds of bentonite per 100 gallons of water 100 lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? BRAKISH depth of strata 22 to 24'
Method of sealing strata off CRASED
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County MARION Driller's well number
1/4 1/4 Section 14 T. 65 R. 3W W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found DOMESTIC WATER 39' ft.
Static level 16' ft. below land surface. Date 5-20-71
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6"

Depth drilled 40 ft. Depth of completed well 40 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
TOPSOIL	0	2	
CLAY YELLOW SILTY	2	10	
SAND BROWN FINE	10	17	
CONGLOMERATE	17	22	
GRAVEL & SAND 1 1/2"	22	24	
CONGLOMERATE	24	34	
GRAVEL & SAND 1"	34	36	16'
SAND MED. TO COARSE	36	39	
GRAVEL 2"	39	40	16'

Work started 5-20 1971 Completed 5-20 1971
Date well drilling machine moved off of well 5-20 1971

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] R. J. Sneed Date 5-20, 1971
(Drilling Machine Operator)
Drilling Machine Operator's License No. 187

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name J. A. Sneed & Sons
(Person, firm or corporation) (Type or print)
Address 3910 SILVERTON RD SALEM ORE
[Signed] R. J. Sneed
(Water Well Contractor)
Contractor's License No. 6 Date 5-20, 1971