ORIGINAL File Original and Duplicate with the STATE ENGINEER, SALEM, OREGON



WATER WELL REPORT State Well No. 6/3W -15A(1)
STATE OF OREGON GP 720 State Permit No. 87-720

(1) OWNER: Name JACK CHAPIH	(11) WELL TESTS: Drawdown is amount water level is lowered below static level FYERLY Was a pump test made? Yes No If yes, by whom? TRACTOR	
Address R7.2 80× /35	Yield: '7,50 gal./min. with 8' ft. drawdown after	4/5
SALEM ORE.	n n	***
(2) LOCATION OF WELL:	,, 11 "	***
County Mario Owner's number, if any—	Bailer test gal./min. with ft. drawdown after	er hrs.
NE 14 N/5 1/4 Section 15 T. 65 R. 3 W W.M.	Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made?	☐ Yes X No
Bearing and distance from section or subdivision corner	141	"/-D inches.
500 W \$ 2 200 N. of Wy 82014		
	Depth drilled ft. Depth of completed well	4/ ft.
	Formation: Describe by color, character, size of material and show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each chang	naterial in each e of formation.
*		OM TO
	7088014	3' 3'
New Well Depending Reconditioning Abandon Depending Reconditioning Abandon Depending Reconditioning Recondition	SILT- YELLOW COLOR G	6' 9'
New Well Deepening Reconditioning Abandon If abandonment, describe material and procedure in Item 11.	SAHD - BROWN COLOR - FIHE 3	121
	CEMENT GRITUES COULTS	21 24'
PROPOSED USE (check): (5) TYPE OF WELL:	C-21/1	21 26
Irrigation Test Well Other Dug Bored	CEMENT ERIFUEL #4- W. B 1-	5, 41.
Irrigation Test Well Other Dug Bored	-	-
(6) CASING INSTALLED: Threaded Welded	,	
(6) CASING INSTALLED: Threaded □ Welded X		
Tiam. from ft. to ft. Gage	-	
"Diam. from ft. to ft. Gage		
(7) PERFORATIONS: Perforated? X Yes \(\square\) No		
Type of perforator used MILLS TYPE		
SIZE of perforations in. by in.		-
600 perforations from 6 ft. to 38 ft	l l	
perforations fromft. tof)	
perforations fromft. toft.		
perforations fromft. tof	1	
SCREENS: Well screen installed Yes No		
Manufacturer's Name		
Type Model No ft. to ft. to ft.	t.	
Diam. Slot size Set from ft. tof		18 - 1951
	(13) PUMP:	
CONSTRUCTION:	Manufacturer's Name	
Was well gravel packed? Yes No Size of gravel: Gravel placed fromft. toft.	Type: Contribus - Election H.P. 30	
Was a surface seal provided? Yes \(\square\) No To what depth?	t. ———————————————————————————————————	
Material used in seal— PUMPINE E GUIP.	Well Driller's Statement:	
Did any strata contain unusable water? Yes \(\subseteq No \)	This well was drilled under my jurisdiction and true to the best of my knowledge and belief.	this report is
Type of water? SATISFACTOR bepth of strata /6 70 38 Method of sealing strata off BHCK FILL + TAMPA		
	(Parson firm or corneration) (IVDe	or print)
(10) WATER LEVELS:		SALCH C
Static level ft. below land surface Date 4-8-S Artesian pressure lbs. per square inch Date	-	
Artesian pressure lbs. per square inch Date	_ Driller's well number	
Log Accepted by:	[Signed] (Wall Dallon)	······
[Signed] Joch Physiode Lebrary 27, 195	(Well Driller)	25 57
(Owher)	License No. Date Date	19