

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

MARTI 50581

JUN 20 1996

WATER RESOURCES DEPT.(START CARD) # 78613

Instructions for completing this report are on the last page of this form. SALEM, OREGON

(1) OWNER: Well Number 2G96 Name Henry Hazenberg/Hazenberg Dairy Address 5574 Ray Bell Rd. City St. Paul State OR Zip 97137

(2) TYPE OF WORK [X] New Well [] Deepening [] Alteration (repair/recondition) [] Abandonment

(3) DRILL METHOD: [] Rotary Air [] Rotary Mud [X] Cable [] Auger [] Other

(4) PROPOSED USE: [X] Domestic [] Community [] Industrial [X] Irrigation [] Thermal [] Injection [] Livestock [] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [] Yes [X] No Depth of Completed Well 321 ft. Explosives used [] Yes [X] No Type Amount

Table with columns: HOLE Diameter, From, To, Material, SEAL From, To, Sacks or pounds. Row 1: 20", 0, 43, 3/8 hole-plug bentonite, 0, 43, 48 sacks.

How was seal placed: Method [] A [] B [] C [] D [] E [X] Other OAR 690-210-340 Backfill placed from 329 ft. to 347 ft. Material Size of gravel 5-8

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 16", +2', 281', .375, [X], [], [X], [].

Final location of shoe(s) 281'

(7) PERFORATIONS/SCREENS: Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Includes rows for stainless steel screens and pipe.

(8) WELL TESTS: Minimum testing time is 1 hour

Table for well tests with columns: Yield gal/min, Drawdown, Drill stem at, Time. Row 1: 1000, 102', 4 hrs.

Temperature of water 51 Depth Artesian Flow Found Was a water analysis done? [] Yes By whom Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other Depth of strata:

(9) LOCATION OF WELL by legal description: County Marion Latitude Longitude Township 4S N or S Range 2W E or W. WM. Section 4 SE 1/4 SW 1/4 Tax Lot 01300 Lot Block Subdivision Street Address of Well (or nearest address) Ray Bell Rd. St. Paul, OR 97137

(10) STATIC WATER LEVEL: 52 ft. below land surface. Date 5/15/95 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 12'

Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 12', 28', 10 gpm, 25. Row 2: 281, 319', 1000 gpm, 52.

(12) WELL LOG: Ground Elevation

Table for well log with columns: Material, From, To, SWL. Rows include Top soil, Clay brown, Clay sandy brown, Clay brown, Clay sandy gray, Sand, silt, clay, Clay gray, Sand, clay, Clay gray, Sand, clay, Clay gray, Sand, clay, Clay gray, Sand, silt, dense clay, Clay gray.

Date started 3/8/96 Completed 5/17/96

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. Signed Kermit Martin WWC Number 1391 Date 6/17/96

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. Signed Ivan Grossen WWC Number 783 Date 6/16/96