original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date

WATER WELL REPORT STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVE Day #1

ř.	News S	A.A	State WE	si. ezerik	MECO	!	·
		HN	State}Pet	δρΩ¶No.			***************

of well completion.	MATER BESOURTER	5		
1) OWNER: PG 1 PG 2	(10) LOCATION OF WELL CREGO	DE.		
ame Leonard Squire	County 1.8(101) Driller's Well no	ımber		
ddress 3811 Howell Prairie Rd. NE	SW 14 NW 14 Section 10 T. 7S	R. 2W		W.M.
Silverton, OR 97381	Bearing and distance from section or subdivisi	on corner	•	
2) TYPE OF WORK (check):				
cw Well 💆 Deepening 🗆 Reconditioning 🗆 Abandon 🗀				
abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.		
3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	_		ft.
	Static level 38 ft. below land a		Date 1 2	
able C Jetted C				
ug Bored Irrigation Test Well Other	Artesian pressure lbs. per squar	e men.	Date	
5) CASING INSTALLED: Threaded Welded 250	(12) WELL LOG: Diameter of well 1	alow css	tne 8	11
10 " Diam. from +1 rt. to 269 rt. Gage .250	_		• -	
" Diam. from ft. to ft. Gage	42,0.			
ft. toft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratu			
	with at least one entry for each change of forma position of Static Water Level and indicate prin	tion. Rep	ort each (change in
6) PERFORATIONS: Perforated? Yes To No.	position of Static water never and indicate prin	1		
ype of perforator used	MATERIAL	From	То	SWL
ize of perforations in. by in.	Topsoil	0	2	
perforations from ft. to ft.	Clay Brown	2	26	
perforations from ft. to ft.	Claystond Brown	26	58	
perforations fromft. toft.	Sand Brown Medium	58	66	
	Clay Brown	66	81	
7) SCREENS: Well screen installed? Yes X No	Sand	00	3.00	
fanufacturer's Name	Cemented Gravel	87	108	· · · · · · · · · · · · · · · · · · ·
ype	Cravel Large Sand Brown	108	119	
iam. Slot size Set from ft. to ft.	Gravel Semented	119	132	
iam Slot size Set from ft. to ft.	Gravel Large Sand Very	132	148	
Drawdown is amount water level is	Brown Sand	148	155	
8) WELL TESTS: Drawdown is amount water level is lowered below static level	Clay Blue	155	170	
'as a pump test made? [] Yes [] No If yes, by whom?	Sand Grey Fine & Medium	170	177	
ield: gal./min. with ft. drawdown after hrs.	May Cray Sticky	177	235	
· · · · · · · · · · · · · · · · · · ·	Sandstone Brown	235	274	
	Basatt Crey Hard	274	317	
filler test 400 gal./min. with 21Qt. drawdown after 3 hrs.	Pasalt Grey Porous	317	332	
rtesian flow g.p.m.	Basatt Grey Hard	332	351	
	Work started 12-4- 1979 Complet	ed 12-	-14	19 79
imperature of water Depth artesian flow encountered 11.	Date well drilling machine moved off of well		2-17	199
)) CONSTRUCTION:				
Cement Cement	Drilling Machine Operator's Certification This well was constructed under my	: direct	cune	rvision.
ell sealed from land surface toft.	Materials used and information reported	above	are tru	e to my
rameter of well bore to bottom of sealin.	best knowledge and belief.	1		
rameter of well bore below seal	[Signed] Dulling Machine Operator)	Date	12-47	2, 1979
imber of sacks of cement used in well sealsacks	Drilling Machine Operator's License No.	13	71	
was cement grout placed? PRESSURE CROUT	Drining Machine Operator's Electric No.			
	Water Well Contractor's Certification:			
	This well was drilled under my jurisd	liction a	nd this	report is
true to the best of my knowledge and belief.			-	
as a drive shoe used? 🖥 Yes 🛘 No Plugs Size: location ft.	Name WEST COAST DRILLING	:0.	IN	***************************************
d any strata contain unusable water? Yes X No	(Person, firm or corporation)	~ ^{(T}	ype or pr	int) 3730
pe of water? depth of strata	Address 220 Academy St. t.	Arlae	الرراسة	`Z.().`
thod of sealing strata off	(Simula) / Assle	1/1	fle t	*
as well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Cont			
avel placed from tt. to ft.	Contractor's License No. 519 Date	12-2	9	, 197

19.79

19.79

original and first copy of this report TAME MAINTER CONTRACTOR AT

WATER WELL REPORT

EN BO PO BO BO BOS POR

State Well No.

State	Well No	·····
JUISTAL	Zerffffko.	,
	4-545 410.	

ST Street

WATER RESOURCES DEPARTMENT. SALEM. OREGON 97510 within 30 days from the date of well completion. STATE OF (Please type) (Do not write a	e or print)
(1) OWNER: Fŷ 2 0 2	(10) LOC
Address	34
(2) TYPE_OF WORK (check):	Bearing and
New Well Deepening Reconditioning Abandon	
if abandonment, describe material and procedure in Item 12.	(11) WA'
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at wh
Rotary Driven Domestic Industrial Municipal	Static level
Table Jetted Irrigation Test Well Other	Artesian pre
EL CACING INCMALLED.	
5) CASING INSTALLED: Threaded Welded	(12) WE
" Diam. fromft. toft. Gage	Depth drille
" Diam from the the state of th	Formation:
6) PERFORATIONS: Perforated? Yes No.	and show the with at least position of the state of the s
'ype of perforator used	Basalt
ize of perforations in. by in.	
perforations fromft. toft.	Basalt
perforations from ft. to ft	-
7) SCREENS: Well screen installed? Ves No	
fanufacturer's Name	
ype Model No iam Slot size Set from ft. to ft.	
iam. Slot size Set from ft. to ft.	l
3) WELL TESTS: Drawdown is amount water level is lowered below static level	l
as a pump test made? Yes No If yes, by whom?	
ield: gal./min. with ft. drawdown after hrs.	
- W	
iller test , gal./min. with ft. drawdown after hrs.	
tesian flow	
mperature of water Depth artesian flow encountered ft.	***************************************
YO 111"	Work started
) CONSTRUCTION:	Date well dri
il seal—Material used	Drilling Ma
ell sealed from land surface to ft.	This we Materials u
ameter of well bore to bottom of sealin.	best knowle
ameter of well bore below seal in. mber of sacks of cement used in well seal sacks	[Signed] .4
w was cement grout placed? RESSURA GRUNT	Drilling Ma
	Water Well
,	This we
	true to the
s a drive shoe used? Yes No Plugs Size: location ft.	Name
	A dd====
thod of sealing strata off	Address
s well gravel packed? Yes No Size of gravel:	[Signed]

ivel placed from _____ ft. to _____ ft.

WATER RECOUNCE	<u> </u>		
(10) LOCATION OF WELLOREGO	ン Die: こと		
County Driller's well n	-		
34 34 Section T.	R.		W.M
Bearing and distance from section or subdivis	ion corn	er	
		-	·
(11) THAMED A PARTY OF THE	· · · · · · · · ·		
(11) WATER LEVEL: Completed w	vell.		
Depth at which water was first found			ft
Static level ft. below land Artesian pressure lbs. per squa			
	-		
(12) WELL LOG: Diameter of well	below ca	sing	·····
Depth drilled ft. Depth of comp			ft
Formation: Describe color, texture, grain size and show thickness and nature of each stratu with at least one entry for each change of forma position of Static Water Level and indicate prin	m and a	iquifer po	enetrated
MATERIAL	From	То	SWL
Basalt Brey Porous	351	390	
Basalt Grey Hard Crevisy	390	410	
· ·			
The state of the s			
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			
	· · · · · ·		
Work started 19 Complete	:d		19
Date well drilling machine moved off of well			-19
Drilling Machine Operator's Certification: This well was constructed under my Materials used and information reported best knowledge and belief. [Signed]	above a	supervare true	to my
Water Well Contractor's Certification: This well was drilled under my inviedi	ation an	d this w	onout is
This well was drilled under my jurisdi- true to the best of my knowledge and beli-	ef.	u unis N	port 18
Name (Person, firm or corporation)	·····	ne en ==	
Address	P	pe or prin	·,
1 de la la	17	-//	Õ.
[Signed] (Water Well Contra	ictor)	KUL.	ĸ
Contractor's License No Date			., 19