

STATE OF OREGON  
WATER WELL REPORT  
(as required by ORS 537.765)

*WMP 1 51643*

(START CARD) # 40282

(1) OWNER: Well Number 3024

Name T & B NURSERY  
Address 3750 Middlegrove Dr. N.E.  
City Salem, Oregon 97305 State \_\_\_\_\_ Zip \_\_\_\_\_

(2) TYPE OF WORK:  
 New Well  Deepen  Recondition  Abandon

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  
 Other \_\_\_\_\_

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 120' ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
10	0	19	Dry Bentonite	0	19	475 pounds
6	0	120				

How was seal placed: Method  A  B  C  D  E  
 Other As per 690-210-340

Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Casing/Liner	Diameter	From	To	Gauge	Material			
					Steel	Plastic	Welded	Threaded
Casing	6"	+1	120	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) 120'

(7) PERFORATIONS/SCREENS:  
 Perforations Method Torch (1/4" x 8")  
 Screens Type \_\_\_\_\_ Material \_\_\_\_\_

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
117	120		12			<input checked="" type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailor  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
100+		115	1 hr.

Temperature of Water 53° Depth Artesian Flow Found \_\_\_\_\_

Was a water analysis done?  Yes By whom \_\_\_\_\_

Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_

Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:

County Marion Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 7S N or S. Range 2W E. or W. WM.  
Section 8 SW SE 1/4 SW 1/4  
Tax Lot \_\_\_\_\_ Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) 3750 Middlegrove Rd. N.E.

(10) STATIC WATER LEVEL:  
27' ft. below land surface. Date 8/26/92  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:

Depth at which water was first found 42

From	To	Estimated Flow Rate	SWL
42	120	100+	

(12) WELL LOG:

Ground elevation \_\_\_\_\_

Material	From	To	SWL
Topsoil	0	2	
Brown Clay	2	26	
Gray Clay	26	42	
Brown Clay & Brown Sand	42	54	
Cemented Black Sand and Gravel	54	65	
Sticky Brown Clay	65	72	
Cemented Brown Sand and Gravel	72	83	
Cemented Black Sand and Gravel	83	96	
Cemented Brown Sand and Gravel	96	116	
Brown Sand and Gravel	116	120	

**RECEIVED**

**MAR 27 1997**

**WATER RESOURCES DEPT.  
SALEM, OREGON**

Date started 8/26/92 Completed 8/26/92

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed Mark D. Beis WWC Number 753  
Date 8/26/92

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

WILLAMETTE DRILLING CO. INC. WWC Number 753  
Signed Mark D. Beis Date 8/26/92