

WMEI  
51649

STATE OF OREGON  
WATER WELL REPORT  
(as required by ORS 537.765)

(START CARD) # 40289

(1) OWNER: Well Number 3032  
Name Nick Kuenzi  
Address 8822 Macleay Rd, N.E.  
City Salem, Oregon 97301 State OR Zip

(2) TYPE OF WORK:  
 New Well  Deepen  Recondition  Abandon

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  
 Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 360 ft.  
Explosives used  Yes  No Type  Amount

HOLE			SEAL			Amount sacks or pounds
Diameter	From	To	Material	From	To	
12	0	63	Cement & 5%	0	63	27+bentonite
8	0	340				
6	340	360				

How was seal placed: Method  A  B  C  D  E  
 Other

Backfill placed from  ft. to  ft. Material   
Gravel placed from  ft. to  ft. Size of gravel

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
				<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Casing: 8"	+1	63	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s)

(7) PERFORATIONS/SCREENS:

Perforations Method   
 Screens Type  Material

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailor  Air  Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
400+		340	1 hr.
100GPM	21ft.		1hr.

Temperature of Water 53° Depth Artesian Flow Found   
Was a water analysis done?  Yes By whom   
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other   
Depth of strata:

(9) LOCATION OF WELL by legal description:  
County Marion Latitude  Longitude   
Township 8S N or S. Range 2W E or W. WM.  
Section 1 NW 1/4 NW 1/4  
Tax Lot  Lot  Block  Subdivision   
Street Address of Well (or nearest address) 8822 Macleay Rd. S.e.

(10) STATIC WATER LEVEL:  
32 ft. below land surface. Date 10/2/92  
Artesian pressure  lb. per square inch. Date

(11) WATER BEARING ZONES:  
Depth at which water was first found 190

From	To	Estimated Flow Rate	SWL
190	360	500+	32

(12) WELL LOG: Ground elevation

Material	From	To	SWL
<del>Topsoil</del> Topsoil	0	2	
Brown Clay	2	41	
Brown Shale	41	57	
Hard Black Basalt	57	190	
Hard Green Shale	190	198	
Soft Brown Broken Rock	198	224	
Fractured Black Basalt	224	229	
Brown Broken Basalt	229	242	
Fractured Black Basalt	242	315	
Brown Broken Basalt	315	325	
Fractured Black Basalt	325	360	

RECEIVED  
MAR 27 1997  
WATER RESOURCES DEPT.  
SALEM, OREGON

Date started 9/19/92 Completed 10/2/92

(unbonded) Water Well Constructor Certification:  
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.  
Signed Mark D. Bein WWC Number 753 Date 10/2/92

(bonded) Water Well Constructor Certification:  
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.  
WILLAMETTE DRILLING CO., INC. WWC Number 753  
Signed Mark D. Bein Date 10/2/92