

MAR 1 51882

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

WELL I.D.# #L07301

(START CARD) # 92613

Instructions for completing this report are on the last page of this form.

(1) OWNER: Well Number 3180 Name TIM & CAROL BAUGHMAN Address 8462 MacCleay Rd. S.E. City Salem State OR Zip 97301

(2) TYPE OF WORK [X] New Well [ ] Deepening [ ] Alteration (repair/recondition) [ ] Abandonment

(3) DRILL METHOD: [X] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Auger [ ] Other

(4) PROPOSED USE: [ ] Domestic [ ] Community [ ] Industrial [X] Irrigation [ ] Thermal [ ] Injection [ ] Livestock [ ] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [ ] Yes [X] No Depth of Completed Well 402 ft. Explosives used [ ] Yes [X] No Type Amount

Table with columns: HOLE Diameter, From, To, Material, SEAL From, To, Sacks or pounds. Row 1: 12", 0, 40, Cement 85%, 0, 40, 15+ bentonite. Row 2: 8", 0, 402, , , ,

How was seal placed: Method [ ] A [ ] B [X] C [ ] D [ ] E [ ] Other Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 8", +1, 40, .250, [X], [ ], [X], [ ]. Liner: 6", 0, 402, 160 PSI, [X], [ ], [ ], [ ]

Final location of shoe(s)

(7) PERFORATIONS/SCREENS: [X] Perforations Method Skilsaw (1/8" X8") [ ] Screens Type Material. Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner.

(8) WELL TESTS: Minimum testing time is 1 hour [ ] Pump [ ] Bailer [X] Air [ ] Artesian. Yield gal/min 300+, Drawdown, Drill stem at 400, Time 1 hr.

Temperature of water 53° Depth Artesian Flow Found Was a water analysis done? [ ] Yes By whom Did any strata contain water not suitable for intended use? [ ] Too little [ ] Salty [ ] Muddy [ ] Odor [ ] Colored [ ] Other Depth of strata:

(9) LOCATION OF WELL by legal description: County Marion Latitude Longitude Township 8S N or S Range 2W E or W. WM. Section 2 SE 1/4 NE 1/4 Tax Lot 01000 Lot Block Subdivision Street Address of Well (or nearest address) 8462 MacCleay Rd. S.E.

(10) STATIC WATER LEVEL: 33 ft. below land surface. Date 8/21/96 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 117

Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 117, 393, 300+, 33. Includes 'RECEIVED JUN 11 1997' stamp.

(12) WELL LOG: WATER RESOURCES DEPT. SALEM, OREGON

Table with columns: Material, From, To, SWL. Rows include: Topsoil (0-2), Red-Brown Clay (2-19), Light Brown Clay (19-31), Weathered Basalt (31-32), Hard Black Basalt (32-49), Course Grained Gray Basalt (49-63), Black Slightly Broken Basalt (63-117), Black Visacular Basalt (117-121), Hard Gray Basalt (121-136), Black Slightly Broken Basalt (136-155), Hard Gray Basalt (155-188), Broken Black Basalt (188-203), Hard Black Basalt (203-216), Black Basalt (216-264), Hard Black Basalt (264-296), Broken Black Basalt (296-333), Black Basalt (333-351), Broken Black Basalt (351-390), Hard Black Basalt (390-402).

Date started 7/25/96 Completed 8/21/96

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed [Signature] WWC Number 753 Date 8/21/96

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed [Signature] WILLAMETTE DRILLING CO. INC. WWC Number 753 Date