NOTICE TO WATER WELL CONTRACTOR

Number of pounds of bentonite per 100 gallons of water

Type of water?

Method of sealing strata off

Was well gravel packed? ☐ Yes ☑ No

Did any strata contain unusable water?

Yes No

Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.

depth of strata

... ft. to

Size of gravel:

of this report are to be filed with the AUG 17 1971 STATE ENCINEER SALEMOOPER TYPE TO BE TAKED THE STATE OF	OREGON N State Well No.	6/3W-26 d	c
within 30 days from the date of well completion. A LEM. OF The lease type of well completion.			*******
(1) OWNER:	(10) LOCATION OF WELL:		
Name ill Moland	County Mario Driller's well nur	mber	
Address 6570 Piner Rd, north	14 14 Section 26 T. 6-5	R. 3 W W	7.M.
- Salen	Bearing and distance from section or subdivisio		- 1-
(2) TYPE OF WORK (check):	2001110	1	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		~	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	.11	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	23	
Rotary Driven	4	-	<u></u> .
Cable ☐ Jetted ☐ Domestic ☐ Industrial ☐ Municipal ☐ Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Static level 5 ft. below land su		<u>7 ~ 7</u> ,
Dug Bored I Irrigation P Test Well Other I	Artesian pressure 'lbs. per square	inch. Date	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well be		n
10 " Diam. from 1 1 ft. to 63 ft ft. Gage 250	Depth drilled 62 ft. Depth of comple		e
			<u> 11.</u>
ft. Gage	Formation: Describe color, texture, grain size at and show thickness and nature of each stratum		
PERFORATIONS: Perforated? Divis D No.	with at least one entry for each change of formati position of Static Water Level and indicate princ		
Type of perforator used	MATERIAL	From To SW	L_
Size of perforations 78 in. by in. 344 perforations from 39 ft to 60 ft	Brown Clay	0 19	 -
974 perforations from 97 ft. to 60 ft.	The state of the	10 00	
perforations from ft. to ft.	Amall & med thouse	19 23	
perforations fromft. toft.	and die	13 00	
(7) SCREENS: Well screen installed? Yes FINO	Clay & Dravel	23 29	
Manufacturer's Name	Me la la	29 62	—
Type Model No.	There & Sand	2/ 62	—
Diam Slot size Set from ft. to ft.	Heary Sand 34t 36		_
Diam Slot size Set from ft. to ft.			_
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			_
Was a pump test made? Yes \(\text{No If yes, by whom?} \) Stettler			
Yield: 290 gal./min. with 55 ft. drawdown after 2 hrs.			
" " "			
" " "			
222 COSARIA TIOW S.D.III.	7 20		_ ,
perature of water Depth artesian flow encountered ft.	Work started 7-23 197/ Completed	d 7-28 19,	1
(9) CONSTRUCTION:	Date well drilling machine moved off of well	7-29 19	<u>21</u>
Well seal—Material used Statunule	Drilling Machine Operator's Certification:	••	
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported a	direct supervision above are true to the	on. mv
Diameter of well bore to bottom of seal	best knowledge and belief.	71	- <u></u>
Diameter of well bore below seal	[Signed] form on 1 Ferrelloute 7-30, 1971		
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator) Drilling Machine Operator's License No	- 455	
Number of sacks of bentonite used in well seal sacks	Drining Machine Operator's License No		
Brand name of bentonite Maliumal	Water Well Centractor's Contifications		

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Prairie Esla Well Millie
(Person, firm or corporation) (Type or print)
Address 45/0 Sallos Tel 1100 Salem
0 000
[Signed] (Water Well Contractor)

Contractor's License No. 13 Date 2-30

(USE ADDITIONAL SHEETS IF NECESSARY)