MARI 53043

RECEIVED

STATE OF OREGON WATER SUPPLY WELL REPORT MAY 2 9 1998

WELL I.D. #L_22662 WATER RESOURCES DEP TART CARD # 104232 (as required by ORS 537.765) SALEM, OREGON Instructions for completing this report are on the last page of this form. (9) LOCATION OF WELL by legal description: (1) OWNER: Well Number Name TRECO INC. County MARION Latitude Longitude Address 10906 MONITOR MCKEE RD. NE Township 5S N or S Range <u>2W</u> 9707 Section 25 WOODBURN NE 1/4_ SW 1/4 (2) TYPE OF WORK Tax Lot 1400 Lot Block Subdivision XX New Well Deepening Alteration (repair/recondition) Abandonment Street Address of Well (or nearest address) (3) DRILL METHOD: 12938 PORTLAND RD. NE, GERVAIS, OR 97026 (10) STATIC WATER LEVEL: Rotary Air Rotary Mud XX Cable Other 22 ft. below land surface. Date _3-23-98 (4) PROPOSED USE: Artesian pressure lb. per square inch. Date □ Domestic ☐ Community (11) WATER BEARING ZONES: Industrial Irrigation Thermal Injection Livestock Other (5) BORE HOLE CONSTRUCTION: Depth at which water was first found 14 Special Construction approval Yes No Depth of Completed Well 253 ft. Explosives used Yes No Type Amount From To Estimated Flow Rate **SWL ZONES** HOLE SEAL BELOW S.W.L. Material Diameter From Sacks or pounds 20 0.1 104 CEMENT 0 104 148 SACKS 254 16 104 (12) WELL LOG: How was seal placed: Method \square B XIX \Box E Ground Elevation ☐ Other ft. Material Backfill placed from ft. to Material From To SWL Gravel placed from ft. to ft. Size of gravel TOPSOIL BROWN 0 2 (6) CASING/LINER: CLAY BROWN 2 14 To Gauge Steel Welded Threaded ANDY BRN STLT 38 375XX 116 KX SANDY GREY SILT 38 74 Casing: KX -0 102 250XX CLAY GREY w/GREY SAND LNS 104 <u>74</u> 107 117 250XX KX SAND GREY SILTY 104 118 134 166 . 250XX KX 118 SAND & GRAVEL GREY 134 10 166 182 250XX KX CLAY GREY Liner: 134 143 10 187 <u> 207</u> П KX SAND GREY 143 153 153 Final location of shoe(s) 16" @ 116" <u>CLAY GREY CRUMBLY & SANDY</u> (7) PERFORATIONS/SCREENS: \sqrt{WOOD} 157 Perforations Method V-WIRE <u>CLAY GREEN STICKY</u> 157 168 χ[X] Screens S.SType Material CLAY GREY 168 177 Tele/pipe CLAY BROWN 177 190 Diameter 12 Casino Liner 102 070 P7s reimef 107 CLAY GREY STICKY 190 199 12" 117 134 070 P/S SAND GREY DIRTY FINE 199 202 182 187 070 10" P/S CLAY w/GRAVEL GREY 202 <u>209</u> 10" 207 233 P/S GRAVEL LOOSE 070 209 212 10" 233 253 PIPE W/BOTTOM CLAY GREY 212 215 CONT Date started 12-8-97(8) WELL TESTS: Minimum testing time is 1 hour 3-23-98 Completed (unbonded) Water Well Constructor Certification: Flowing Bailer XX Pump ☐ Air Artesian I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Drill stem at Yield gal/min Time Drawdown Materials used and information reported above are true to the best of my knowledge 500 49 1 hr. and belief. 750 84 2 WWC Number 102 Signed Temperature of water Depth Artesian Flow Found (bonded) Water Well Constructor Certification: Was a water analysis done? Yes By whom NO I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work Did any strata contain water not suitable for intended use? performed during this time is in compliance with Oregon water supply well Salty Muddy Odor Colored Other construction standards. This report is true to the best of my knowledge and belief. Depth of strata: WWC Number _ 688 Date 4-20-98 Signed,

MAC 1 53043

RECEIVED

MAY 2 9 1998

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

WATER RESOURCES DEPT. L.D. #L 22662

| Instructions for completing this report are on the last page of this form. | | SALEM, OHEGON | SIARI CARD#_ | 104232 | | |
|--|--|--|--|--|--|----------------------------|
| (1) OWNER: Well Number | (9) LOCATION OF V | ELL by legal descr | ription: | | | |
| Name TRECO INC. | County MARTON Latitude Longitude | | | | | |
| Address 10906 MONITOR MCKEE RD. NE | Township 5S N or S Range 2 | | | | | |
| City WOODBURN State OR Zip 97071 | | Section 25 | | | | |
| (2) TYPE OF WORK | Tax Lot 1400 Lo | | | | | |
| New Well Deepening Alteration (repair/recondition) Al | bandonment | Street Address of Well | | | | |
| (3) DRILL METHOD: | | | AND RD. NE. | | | 97026 |
| Rotary Air Rotary Mud Cable Auger | | (10) STATIC WATER | | CHINALID | • • | 21020 |
| Other | | ft. belo | | E |)ate | |
| (4) PROPOSED USE: | | Artesian pressure | | | ate | |
| Domestic Community Industrial Irrigation | (11) WATER BEARIN | | TO MICHI. | | | |
| Thermal Injection Livestock Other | (11) (111121121111111 | 10 20.1201 | | | | |
| (5) BORE HOLE CONSTRUCTION: | Depth at which water was first found | | | | | |
| Special Construction approval Yes No Depth of Completed Well ft. Explosives used Yes No Type Amount | | | | | | |
| | | From To | | Fetimated | Estimated Flow Rate SWL | |
| HOLE SEAL | | 11011 | | Listantico | I IOW ICE | 10,112 |
| | er pounds | | | | | |
| | n posses | | | | | + |
| | | | | | | |
| | | | | | | + 1 |
| | | (40) WELL LOG | | ~ | | |
| How was seal placed: Method A B C | (12) WELL LOG: | Elevation | | | | |
| Other |]D | Ground | Elevation | **** | | |
| Backfill placed from ft. to ft. Material | | Materia | | From | To | SWL |
| Gravel placed from ft. to ft. Size of gravel | | CONT. | | Tion | - 1 | SWL |
| (6) CASING/LINER: | | SAND & GRAVEL | חדסידע | 215 | | |
| | Threaded | LOOSELY CEMEN | | | 219 | |
| | | | | 210 | | |
| Casing: | | SAND & GRAVEL | | 219 | 234 | |
| | | CLAY GREY | | 234 | 253 | |
| | | | | | | |
| | | | | | | |
| Liner: | | | | _ | | |
| | | | | | | |
| Final location of shoe(s) | | | | - | | |
| (7) PERFORATIONS/SCREENS: | • |] | | | | |
| Perforations Method | | | | | <u> </u> | |
| Slot Slot Material | | aug B t | 802 500 | | <u> </u> | |
| From To size Number Diameter size Casi | ng Liner | western | erg Brilling | , ine. | | |
| | | 36728 S | Kropf Rd. | | | |
| | | | | | | |
| | | Wolalia, | OR 97038 | <u> </u> | | |
| | | 82 | 9-2526 | | | |
| | | | | | | |
| | | L | | | | |
| (8) WELL TESTS: Minimum testing time is 1 hour | Date started <u>12-8-98</u> | | | <u>23–98 </u> | | |
| Flowing | | (unbonded) Water Well Constructor Certification: | | | | |
| Pump Bailer Air Artesian Yield gal/min Drawdown Drill stem at Time | | I certify that the work I | | | | |
| | | of this well is in compliant Materials used and inform | e with Oregon water s ation reported above ar | upply well con e true to the b | istruction sta est of my kno | indards. owledge |
| | 1 hr. | and belief. | | | | g. |
| | | | | WWC Nun | nber | |
| | SignedDate | | | | | |
| Temperature of water Depth Artesian Flow Found | (bonded) Water Well Con | structor Certification | n: | | | |
| Was a water analysis done? Yes By whom | I accept responsibility f | or the construction, alt | eration, or aba | ndonment w | ork | |
| Did any strata contain water not suitable for intended use? | performed on this well dur performed during this time | ing the construction da | tes reported al | ove. All we | яk | |
| Salty Muddy Odor Colored Other | construction standards. Th | is report is true to the | best of my kno | wledge and | belief. | |
| Depth of strata: | | /WWC Nun | - | 38 | | |
| | | Signed Stever | M. Strde | l'i | Date 4-2 | |