## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

State Well No. 4/1 w - 16 J

STATE ENGINEER, SALEM, OREGON within 30 days from the date	97310	-	Ç		V <sub>(D</sub>	(
of well completion.	W.				100	n

WATER WELL REPORT

STATE OF OREGON

(Please type or orint)
(Do not write above this line)

State Permit No. ....

0 1966	G-4323
(1) OWNER: STATE ENGINEER	(11) LOCATION OF WELL:
Name Tool Zackese' I'M OREGON.	County Marz 1022 Driller's well number
Address Rt   Boz 241	N8 458 4 Section /4 T. 49 R. / W.M.
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	200 Ft N of the Sw Corner of the
New Well Deepening Reconditioning Abandon	WE K ASEK, OT Seel 4 THS RIMIN
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing
Rotary Driven Domestic Industrial Municipal D	Depth drilled 15.5 ft. Depth of completed well 155 ft.
Cable	
CACING INCHALLED.	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
CASING INSTALLED: Threaded Welded	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.
2 "Diam. from B. T. Obl. 11 to 1.5.5 ft. Gage 102.50	
" Diam. fromft. toft. Gage	MATERIAL From To SWL_
Diam. fromtt. tott. Gage	TOP 2011 USE CITY OF THE PROPERTY OF THE PROPE
ERFORATIONS: Perforated? Yes I No.	B/42 Clay & 31/4. 28 Hg
of perforator used S/Ar MWAY	Brown Clay H& 65
Size of perforations 1/1 y in. by 9600 in.	Con plus out
922 perforations from 122 ft. to 138 ft.	FIN 2221 90 105
200 perforations from 145 ft. to 155 ft.	Danto 6 124 115
perforations from ft. to ft.	3 and & small Grave (water 15 138
perforations from ft. to ft.	13/20 6 ST29 138 145
perforations from ft. to ft.	Course sand Fine Grold 145 152.
(E) CORRENIO	Blux Clay 152 155
(7) SCREENS: Well screen installed? ☐ Yes ☐ Ye	
Manufacturer's Name	Top gand Brokedown
Type Model No  Diam Slot size Set from ft. to ft.	ground PIPE & Da" Hole
Diam. Slot size Set from ft. to ft.	was run to The soud layor
	and Pragravil House
(8) WATER LEVEL: Completed well.	pround file sitted
evel 64 ft. below land surface Date - 25-68	Was placed in the to
h pressure lbs. per square inch Date	1054
(9) WELL TESTS: Drawdown is amount water level is	1000
lowered below static level	
Was a pump test made? Yes \( \) No If yes, by whom? \( \frac{1}{2} \rangle \) \( \frac{1}{2} \rangle \)	Work started 14 4 2 7 19 Completed Fe 4 1968
gal./min. with #2 ft. drawdown after /2 hrs.	Date well drilling machine moved off of well   -e/- 1 1968
" "	
. " " "	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision. Mate-
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported above are true to my bes
Artesian flow g.p.m. Date	knowledge and belief
Temperature of water 5 3 Was a chemical analysis made? 🗆 Yes 🗹 No	[Signed] / W. H. Dutc. Date Jet 1, 19.62
(10) CONSTRUCTION:	Drilling Machine Operator's License No
Well seal-Material used Irou T	
Depth of seal # 6 FT.	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Were any loose strata cemented off?  Yes No Depth	NAME I W Beck Willchilling.
Was a drive shoe used? ☐ Yes ☐ No	(Person, firm or corporation) (Type or print)
Did any strata contain unusable water?   Yes You	Address 954 STVY STCANGOTE
Type of water? depth of strata	1 / Ball
Method of sealing strata off	[Signed] Lohn W / Self
Was well gravel packed? X Yes I No Size of gravel: 12 7 9	(Water Well Contractor)
Gravel placed from 46 ft. to 12 ft.	Contractor's License No HH 9 Date Feb. , 1968