

STATE OF OREGON
WATER SUPPLY WELL REPORT

(as required by ORS 537.755)

Instructions for completing this report are on the last page of this form

MAR 1
55470

WELL ID # 10938

(START CARD) # 85416

(1) OWNER: Well Number _____
Name City of Donald
Address P.O. Box 388
City Donald, Oregon State OR Zip 97020

(2) TYPE OF WORK:
 New Well Deepening Alteration (repair/recondition) Abandonment

(3) DRILL METHOD:
 Rotary Air Rotary Mud Cable Auger
 Other N/A

(4) PROPOSED USE:
 Domestic Community Industrial Irrigation
 Thermal Injection Livestock Other (Muni.)

(5) BORE HOLE CONSTRUCTION:
Special Construction approval Yes No _____ Depth of Completed Well 192 ft
Explosives used Yes No _____ Amount _____

HOLE SEAL
Diameter From To Material From To Amount
sacks or pounds

How was seal placed: Method | A | B | C | D | E
 Other
Backfill placed from 193 ft to 201 ft Material Gravel, cement
Gravel placed from 165 ft to 192 ft Size of gravel 6-9 C.C.S.

(6) CASING/LINER:
Casing Diameter From To Gauge Steel Plastic Welded Threaded
Line 8" 164' 174' .25" X X
8" 185' 193' .25" X X
Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:
 Perforations Method _____
 Screens Type V-slot Material 304 SS
From To Slot Number Diameter Tap/pipe Casing Line
174' 185' 50 8" PS _____

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian
Yield gal/min Drawdown Drill stem at Time
200 65' 1/2 hr.

Temperature of Water 55 degs. Depth Artesian Flow found
Was a water analysis done? Yes By whom _____
Did any water contain water not suitable for intended use? Toxic
 Salty Muddy Odor Colored Other
Depth of strata _____

(9) LOCATION OF WELL by legal description:
County Marion Latitude _____ Longitude _____
Township 4S Nor S Range 1W E or W of W.M.
Section 17 SW 1/4 NE 1/4
Tax lot _____ Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) 10983 Rees St, Donald, Oregon

(10) STATIC WATER LEVEL:
71 ft below land surface Date 7/22/97
Artesian pressure _____ lb per square inch Date _____

(11) WATER BEARING ZONES:
Depth at which water was first found _____
From To Estimated Flow Rate SWL

(12) WELL LOG:
Ground elevation _____
Material _____
This well, drilled in 1980, had 8" PVC liner with a PVC screen. This plastic was installed to contain a sand-pack filter to lessen a sand entrance problem. The PVC was broken so it was removed. Short sections of blank 8" pipes with a stainless steel screen were installed. The screen was placed opposite the perforated zone in the existing 12" well casing. The blanks were placed above and below the screen. A plate was affixed to the tailpipe. This assembly has centering guides attached. A sand-pack material was placed between the screen assembly and the 12" casing to slow formation sand entrance into the well.
RECEIVED
MAY 17 2001
WATER RESOURCES DEPT SALEM, OREGON
RECEIVED
JAN 30 2001
WATER RESOURCES DEPT SALEM, OREGON

Date started 7/9/97 Completed 8/5/97
(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to my best knowledge and belief.
Signed _____ WWC Number _____ Date _____

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on the well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Signed Michael Waldrop WWC Number 633 Date 1/28/2001
Michael Waldrop/Battler Supply Co.