

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

DEC 7 1973

STATE ENGINEER

SALEM, OREGON

State Well No. 6S/1E-7 ad

State Permit No.

(1) OWNER:

Name Samson Anfilofieff Address Rte. 1, 33, Mt. Angel Ore.

(2) TYPE OF WORK (check) Gravel Pack

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

(3) TYPE OF WELL:

Rotary [x] Cable [ ] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

CASING INSTALLED:

12" Diam. from 0 ft. to 256 ft. Gage 250 4" Diam. from CONDUCTORS ft. to 0-00 ft. Gage 250

PERFORATIONS:

Perforated? [x] Yes [ ] No.

Type of perforator used Factory preperforated Size of perforations 3/16 in. by 2 1/2 in. 3212 perforations from 90 ft. to 256 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [x] Yes [ ] No Yield: 350 gal./min. with 170 ft. drawdown after 5 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal-Material used Cement Well sealed from land surface to 20 ft. Diameter of well bore to bottom of seal 30 in. Diameter of well bore below seal 22 in. Number of sacks of cement used in well seal 3 Yds sacks Number of sacks of bentonite used in well seal sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [ ] Yes [x] No Plugs Size: location ft. Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [x] Yes [ ] No Size of gravel: 3/8-to 1/4 Gravel placed from 20 ft. to 256 ft.

(10) LOCATION OF WELL:

County Marion Driller's well number S.E. 1/4 N.E. 1/4 Section 7 T. 6.S. R. 1.E. W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 25 ft. Static level 23 ft. below land surface. Date 10/31/73 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing none

Depth drilled 256 ft. Depth of completed well 256 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Top Soil, Clay Brn., Course Conglome Brn., Clay Brn. sticky, Course Conglom, Loose grav. med. grey, Conglom med. grey, Loose gravel med. W.B., Conglom med. grey, Clay grey, Course packed Sand grey, Clay grey sticky, Conglom fine grey W.B., Clay sand grey, Sand grey med. packed, Clay grey, Conglom course grey W.B., Clay grey, Conglom grey.

Work started 9/10 1973 Completed 10/3 1973 Date well drilling machine moved off of well 10/3/73 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ben Kaufman Date 11/18/73 (Drilling Machine Operator)

Drilling Machine Operator's License No. 222

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name R. Stadel & Sons Inc (Person, firm or corporation) (Type or print)

Address Silverton, Oreg

[Signed] Paul R. Stadel (Water Well Contractor)

Contractor's License No. 296 Date 11/1/73, 19

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

(Do not write above this line)

RECEIVED

DEC 7 1973

STATE ENGINEER SALEM, OREGON

State Well No. ....

State Permit No. ....

(1) OWNER:

Name Samson Anfilofeff Cont. Address

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Cable [ ] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

CASING INSTALLED:

Threaded [ ] Welded [ ]

" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? [ ] Yes [ ] No.

Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [ ] Yes [ ] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [ ] Yes [ ] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Well sealed from land surface to ft. Diameter of well bore to bottom of seal in. Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water lbs./100 gals. Was a drive shoe used? [ ] Yes [ ] No Plugs Size: location ft. Did any strata contain unusable water? [ ] Yes [ ] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [ ] No Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number 1/4 1/4 Section T. R. W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft. Static level ft. below land surface. Date Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Clay grey, Conglomerate med grey W.B., Loose gravel med W.B., Hard conglomerate at 256.

Work started 19 Completed 19 Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date, 19... (Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date, 19...