STATE OF OREGON WATER SUPPLY WELL REPORT

WELL I.D. # L 30621 START CARD# 101565

Instructions for c		ort are on the las	t page of this form.		SIARI CARD#				
(1) OWNER: Well Number				(9) LOCATION OF WELL by legal description:					
Name Thomas Dearmond				County Marion Latitude Longitude					
Address 11463 Broadacres Rd.NE					N or S Range_				
City Hubbard State OR Zip 97032				Section 32	SE1/4	NW	1/4		
(2) TYPE OF WO				Tax Lot 800	Lot Block	Sul	odivision_		
New Well ₩De	epening Alterat	ion (repair/recond	ition) Abandonment		ell (or nearest address)			icres Ro	
(3) DRILLMETHOD:				_ Hubbard.	OR 97032				
Rotary Air Rotary Mud				(10) STATIC WATER LEVEL:					
Other				31 6" ft. below land surface. Date 4/18/01					
(4) PROPOSED USE:				Artesian pressure		re inch. D	ate		
Domestic	Community [Industrial *] Irrigation	(11) WATER BEAR	ING ZONES:				
			Other						
(5) BORE HOL	E CONSTRUCT	ION:	Depth at which water was first found 140						
Special Construction	n approval 🔲 Yes 🕽	No Depth of C	ompleted Well <u>178</u> fi						
Explosives used Yes No Type Amount				From	То		Flow Rate		
HOLE SEAL				140	179	750 g	pm	31½	
Diameter From		From To	Sacks or pounds						
10" 140	180							-	
						-			
					<u> </u>	<u> </u>			
				(12) WELL LOG:	4 IP1				
How was seal place	d: Method	□A □B	□C □D □E	Grou	nd Elevation				
Other	ar was not	ft Met	erial	Mate	rial	From	То	SWL	
Backfill placed from			of gravel <u>pea</u>	Existing we		0	140		
Gravel placed from (6) CASING/LI		8U II. 3120	orgiavor <u>pea</u>	Gravel		140	145	31 6"	
• •		auge Steel Plas	stic Welded Threaded			145	147	31 6"	
Diameter		25d 🙀 🗆		Gravel & sa	nd	147	159	31 6"	
Casing: In'	1 1 140 .			Clay		159	161	31 6"	
-	- -			Sand coarse		161	167	31 6"	
				Sand & gray		167_	179	31 6"	
Liner:				Clay		179	180		
		75 5							
Final location of sh	oe(s)								
(7) PERFORATIONS/SCREENS:									
Perforations								ļ	
⊠ Screens	Type Joh	nson 1	Material <u>stainles</u>	s					
From To	Slot size Number	Tele	/pipe ize Casing Line	RECE	VEU		├	-	
130 130 8	' Packer	9"x10"			0.00		 		
130 8"-13	6 . 08b	10" te.	<u>ke</u> 🗆 🗆	JUN 1 1	2001		╁		
136 156	.180	10" te		MATER DECO	T				
156 176 6	015	10" te.		WATER RESOL SALEM, O	HUES DEPT		 		
176 6' 178	<u> </u>	8:: [pi]		Ortectivi, O	TEGUN			+	
	m plate &	lift bail		-		1.1 - /2			
(8) WELL TEST	IS: Minimum te	esting time is 1	hour	Date started					
Flowing				· · · · /			*:		
☑ Pump ☐ Bailer ☐ Air ☐ Artesian			I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.						
Yield gal/min	Drawdown	Drill stem at	Time	 Materials used and info 	rmation reported above	are true to the t	est of my	knowledge	
750	80		1 hr.	_ and belief.		wwc N	mher		
				WWC Number Signed Date					
		Donth American File	ow Found	_ Signed(honded) Water Well	Constructor Certificati	on:			
Temperature of wa		Depth Artesian Fic 'es By whom	ow Found	-	I accept responsibility for the construction, alteration, or abandonment work				
Was a water analys	sis done? Yain water not suitab	,	e? Too little	nerformed on this well	during the construction	dates reported a	above. All	l work	
		Colored \ \ \ Oth	performed during this t	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.					
Salty Mud	-,		101	- I /					
Depth of strata:			-	Signed	Journe	^	Date 4	0/7/1	