

STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765)

WELL I.D. # L30623 START CARD # 101566

Instructions for completing this report are on the last page of this form.

(1) OWNER: Kevin Crosby Well Number _____ Name _____ Address 7798 Crosby Rd. NE City Woodburn State OR Zip 97071

(2) TYPE OF WORK [] New Well [] Deepening [] Alteration (repair/recondition) [] Abandonment

(3) DRILL METHOD: [] Rotary Air [] Rotary Mud [x] Cable [] Auger [] Other

(4) PROPOSED USE: [] Domestic [] Community [] Industrial [x] Irrigation [] Thermal [] Injection [] Livestock [] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval [] Yes [x] No Depth of Completed Well 196 ft. Explosives used [] Yes [x] No Type _____ Amount _____

Table with columns: Diameter, From, To, Material, From, To, Sacks or pounds. Rows include Bentonite and Cement & bentonite.

How was seal placed: Method [] A [] B [x] C [] D [] E [] Other _____ Backfill placed from _____ ft. to _____ ft. Material _____ Gravel placed from 166 ft. to 196 ft. Size of gravel 5-8

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Rows for Casing and Liner.

Final location of shoe(s) None

(7) PERFORATIONS/SCREENS: Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Rows for screens and bottom plate.

(8) WELL TESTS: Minimum testing time is 1 hour. Table with columns: Pump/Bailer/Air/Flowing Artesian, Yield gal/min, Drawdown, Drill stem at, Time.

Temperature of water 53 F Depth Artesian Flow Found _____ Was a water analysis done? [] Yes By whom _____ Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other _____ Depth of strata: _____

(9) LOCATION OF WELL by legal description: County Marion Latitude _____ Longitude _____ Township 4S N or S Range 2W E or W. WM. Section 22 SW 1/4 SE 1/4 Tax Lot 00100 Lot _____ Block _____ Subdivision _____ Street Address of Well (or nearest address) Arbor Grove Rd. Woodburn

(10) STATIC WATER LEVEL: _____ ft. below land surface. Date 7/23/01 Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES: Depth at which water was first found 69

Table with columns: From, To, Estimated Flow Rate, SWL. Rows for water bearing zones at depths 69, 156, and 168.

(12) WELL LOG: Ground Elevation _____

Table with columns: Material, From, To, SWL. Contains 'SEE ATTACHED SHEET' and a large 'RECEIVED AUG 22 2001 WATER RESOURCES DEPT. SALEM, OREGON' stamp.

Date started 5/9/01 Completed 7/23/01

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

Signed [Signature] WWC Number 1704 Date 8/20/01

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above.

Signed [Signature] WWC Number 783 Date 8/14/01

Kevin Crosby
7798 Crosby Road NE
Woodburn, OR 97071

Well I.D.# L30623

Start Card # 101566

Marion County Township: 4S Range: 2W Sec: 22 SW1/4, SE1/4

WELL LOG

Material	From	To	SWL
Topsoil	0	1	
Clay	1	9	
Sand, silt, clay brown	9	31	
Clay, silty, brown	31	37	
Clay, grey, sandy	37	43	
Sand and silt, fine, brown	43	45	
Brown sand, gray & brown clay layers	45	54	14'
Clay, dark grey, traces of sand	54	63	
Sand & clay	63	69	23'
Gravel and sand	69	71	23'
Clay, grey, sticky	71	79	
Clay, grey, sandy	79	81	
Sand & clay	81	93	16'
Brown sand & clay	93	97	16'
Clay, blue, sticky	97	102	
Clay, grey, sticky, traces of sand	102	108	
Clay, grey, sandy	108	114	
Sand & clay layers	114	119	16'
Clay, grey, sticky	119	134	
Clay & sand, dark grey	134	156	16'
Sand, coarse, black	156	158	16'
Sand & gravel	158	163	16'
Clay, grey & green	163	165	
Clay, grey	165	168	
Clay & sand layers	168	178	47'
Sand, coarse, black	178	193	47'
Clay, grey, very sticky	193	197	

RECEIVED

AUG 22 2001

WATER RESOURCES DEPT.
SALEM, OREGON