NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 9731 within 30 days from the date of well completion.

WATER WELL REPÖRT

STATE OF OREGON JULA

State Permit No. .

(Please type or printSTATE ENGINEER

(Do not write above this BALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:			
Name Paul Dichman	County Marion Driller's well number			
Address Rt. 1. Box 340	N. E 14 N. W 14 Section 18 T. 6. S R. 1. E W.M.			
Sälverton, Oregon				
(2) TYPE OF WORK (check)!	Bearing and distance from section or subdivis	ion corne	<u>r</u>	
New Well ☐ Deepening → Reconditioning ☐ Abandon ☐				
If abandonment, describe material and procedure in Item 12.				
	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 306 ft.			
Rotary Driven Domestic Industrial Municipal Cable Jetted D	Static level 77 ft. below land	surface.	Date	
Dug ☐ Bored ☐ Irrigation 🗗 Test Well ☐ Other ☐	Artesian pressure lbs. per squa	re inch.	Date	
CACTAC TATOLATA				2150
CASING INSTALLED: Threaded □ Welded Z	(12) WELL LOG: Diameter of well below casing			
"Diam. from Oxig. ft. to ft. Gage	Depth drilled & ft. Depth of completed well 333 ft.			
	Formation: Describe color, texture, grain size and structure of materials;			
ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,			
DEDEOD A WIONG.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.			
PERFORATIONS: Perforated?	position of Static Water Level and matcate pri	ncipui wai	er-veari	ty strata.
Type of perforator used Onig.	MATERIAL	From	То	swL
Size of perforations in. by in.	Basalt grey hard	247	306	
perforations fromft. toft.	Weathered Basalt known	306	326	w. b.
perforations from ft. to ft.	Basalt grey hard	326	<i>333</i>	
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? Yes No				
Manufacturer's Name				
Type Model No				
Diam. Slot size Set from ft. to ft.				
Diam Slot size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? ☐ Yes 🏋 No If yes, by whom?				
# .				
Yield: gal./min. with ft. drawdown after hrs.				
				_
APROX. A				-
AIR Pailer test / 20 gal./min. with 249 ft. drawdown after 2 hrs.	-			
Artesian flow g.p.m.	,			·····
aperature of water Depth artesian flow encountered ft.	Work started 5-4- 1974 Comple	ted 5-6		19 74
	Date well drilling machine moved off of well	<i>E (</i>		194
(9) CONSTRUCTION:		<u> </u>		<u> 74</u>
Well seal-Material usedOaig.	Drilling Machine Operator's Certification This well was constructed under my			viei or
Well sealed from land surface toft.	Materials used and information reported			
Diameter of well bore to bottom of seal in.	best knowledge and belief.		. /	
Diameter of well bore below seal in.	[Signed] Charle Stadtely	Date	2/26	., 1971
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)	n	20	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.		<i></i>	
Brand name of bentonite	Water Wall Contractor's Continues			_
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:			
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is			
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	true to the best of my knowledge and belief. Name R.Stadeli & Sons, Inc.			
Did any strata contain unusable water? Yes No	Name Reptaidell & Dons, Inc., (Person, firm or corporation)	(T)	pe or pri	nt)
	Address Rte. 3 Box 169 Silverton			
Type of water? depth of strata	1 2-1	1 1		***********
Method of sealing strata off	[Signed] Jan N. Dia	delli	<u>, </u>	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Con			-
Gravel placed from ft. to ft.	Contractor's License No. 296 Date $6/7/74$ 19.			
				