

**STATE OF OREGON  
WATER SUPPLY WELL REPORT**  
(as required by ORS 537.765)

WELL I.D. # L56635  
START CARD # 101577

Instructions for completing this report are on the last page of this form.

(1) OWNER: \_\_\_\_\_ Well Number \_\_\_\_\_

Name A & R Spada Farms  
Address 7251 St. Paul Hwy NE  
City St. Paul State OR Zip 97137

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Auger  
 Other \_\_\_\_\_

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other \_\_\_\_\_

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 206 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			
Diameter	From	To	Material	From	To	Sacks or pounds
20"	0	3	Bentonite	0	3	5sacks
20"	3	123	Cement & 5% B3	123	123	94sacks cement
20"	123	150	Bentonite			
16"	150	206				

How was seal placed: Method  A  B  C  D  E  
 Other \_\_\_\_\_  
Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from 123 ft. to 206 ft. Size of gravel 5-8

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 16"	+2	8	126	375	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Liner:					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) 126

(7) PERFORATIONS/SCREENS:

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
+3	2	127	171	.075	12"	p.s.	<input type="checkbox"/>
		171	206		12"	pipe	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Flowing Time
<input checked="" type="checkbox"/> Pump	<input type="checkbox"/> Bailer	<input type="checkbox"/> Air	<input type="checkbox"/> Artesian
575	70		1 hr.
575	73		6 hrs

Temperature of water 53 Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other \_\_\_\_\_  
Depth of strata: \_\_\_\_\_

(9) LOCATION OF WELL by legal description:  
County Marion Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 4S N or S Range 1W E or W. WM.  
Section 9 NE 1/4 NE 1/4  
Tax Lot 100 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) 22506 Bentz Rd  
Aurora, OR 97002

(10) STATIC WATER LEVEL:  
78 ft. below land surface. Date 9/23/02  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
Depth at which water was first found 69

From	To	Estimated Flow Rate	SWL
69	94	20gpm	26
128	171	575gpm	78

(12) WELL LOG:  
Ground Elevation \_\_\_\_\_

Material	From	To	SWL
See attached log sheet			
<b>RECEIVED</b>			
OCT 24 2002			
WATER RESOURCES DEPT. SALEM, OREGON			

Date started 6/14/02 Completed 9/24/02

(unbonded) Water Well Constructor Certification:  
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Jay A. ... WWC Number 1704 Date 10/21/02

(bonded) Water Well Constructor Certification:  
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed Ann ... WWC Number 783 Date 10/21/02

A & R Spada Farms  
7251 St. Paul Hwy NE  
St. Paul, OR 97137

Well I.D.# L56635

Start Card # 101577

Marion County Township: 4S Range: 1W Sec: 9  
22506 Bentz Rd. Aurora, OR

NE1/4, NE1/4

## WELL LOG

Material	From	To	SWL
Clay brown	0	5	
Clay yellow & tan	5	9	
Clay gray	9	34	
Clay gray silty soft	34	57	
Clay gray sandy	57	69	
Sand, small gravel & clay	69	78	26
Gravel & sand cemented w/gray clay	78	87	26
Gravel & sand cemented w/brown clay	87	94	26
Clay brown & tan sandy	94	111	
Sand & gravel, brown clay	111	114	26
Cemented gravel & sand	114	124	
Sand brown	124	128	
Gravel, sand brown	128	146	78
Sand black & gravel	146	150	78
Sand black coarse	150	163	78
80% sand & gravel	163	167	78
Gravel & sand	167	171	78
Clay gray soft silty	171	175	
Sand & clay dark gray	175	186	
Sand & blue clay layers, some gravel	186	189	78
Clay green & blue sticky	189	194	
Clay sticky gray	194	206	

RECEIVED

OCT 24 2002

WATER RESOURCES DEPT.  
SALEM, OREGON