WATER WELL REPORT STATE OF OREGON



State Well No.	LS/1E-2766
State Permit No.	******************************

	<u> </u>		
(1) OWNER:	(10) LOCATION OF WELL:		
Name Richard Hudgins	County Marioh Driller's well no	mher	
Address 6704 Indian Springs RdNE	NW 4 NW 4 Section 27 T. 65 R.	1 27-00	W.M.
City Scotts Mills State Ore	Tax Lot # Lot Blk	Subdivision	
(2) TYPE OF WORK (check):	Address at well location: Same 95		
New Well □ Deepening ★ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well	l.	
(2) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 180		ft,
	Static level 15 0 ft. below land	surface. Date	7/28/8
Rotary Mud	Artesian pressure lbs. per so	quare inch. Date	, , ,
Cable	(12) WELL LOG: Diameter of well below cas	ing	6
(5) CASING INSTALLED: Steel Plastic	Depth drilled 233 ft. Depth of com	pleted well 2	33 ft.
(5) CASING INSTALLED: Steel Plastic Threaded Welded	Formation: Describe color, texture, grain size and structu	re of materials	s; and show
"Diam. from ft. to ft. Gauge	thickness and nature of each stratum and aquifer penetral for each change of formation. Report each change in posi-		
ft. Gauge	and indicate principal water-bearing strata.	tion of States 1	rawi bever
LINER INSTALLED:	MATERIAL I	From To	SWL
4 "Diam from O ft to 233 ft Gauge 160 fvc	Saft Blue Clas 14	11 145	
•	Gray Clay Standa	15 159	
(6) PERFORATIONS: Perforated? At Yes No	Block Cake Root 14 16	-a jail	
Type of perforator used 5K, 1/5QW	GAR CARCETOR 1	14 209	
Size of perforations in. by 6 in.	Green 11 11 7	29 233	100
50 perforations from 203 ft. to 223 ft.	The transfer of the state of th	29 233	150
			
perforations from ft. to ft.			
(7) SCREENS: Well screen installed? Yes No			
Manufacturer's Name			
Type Model No.			
Diam. Slot Size Set from ft. to ft.	DCOCURE		
Diam. Slot Size Set from ft. to ft.	REGEIVED	-	
WELL TESTS: Drawdown is amount water level is lowered below static level	AUG 1 3 1980		
Was a pump test made? ☐ Yes No If yes, by whom?	WATER RESOURCES DEPT		<u> </u>
	SALEM RESOURCES DEPT		<u> </u>
Yield: gal./min. with ft. drawdown after hrs.	SALEM, OREGON		
test .5 gal./min. with drill stem at 23.3 ft. / hrs.			
Baller test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
Temperature of water Depth artesian flow encountered ft.	7/20 0	= /20	
(a) CONCERNICATION	Work started 128 1980 Completed	1/28	19 8
(9) CONSTRUCTION: Special standards: Yes □ No 🔼	Date well drilling machine moved off of well	1/28	1980
Well seal—Material used	Drilling Machine Operator's Certification:	•	
Well sealed from land surface to	This well was constructed under my direct sup		
Diameter of well bore to bottom of sealin.	and information reported above are true to my best	ジア っ	8/2
Diameter of well bore below sealin.	[Signed] (Drilling Machine Operator)	Date .9//	, 19%
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.	<i>5 O</i>	
How was cement grout placed?	W. L. W. H. Condenda J. C. della del		
	Water Well Contractor's Certification:		
***	This well was drilled under my jurisdiction at the best of my knowledge and belief.	na this report '	: 1s true to
Was pump installed?	Name Friesen Drilling Ce.	1c	
Was a drive shoe used? \(\text{Yes} \) No Plugs Size: location ft.	(Person, firm or corporation)	C ^{(Type or}	r print)
Did any strata contain unusable water?	Address 18075 Sy Alaige a Kd NE	7116	F1017
Type of Water? depth of strata Method of cogling strata off	[Signed]		
Method of sealing strata off	(Water Well Contractor)	***************************************	
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No5.4. Date	•••••	, 19.
Gravel placed fromft. toft.	<u> </u>		