RECEI'MARI

59175

SEP 0 1 2005

WATER SUPPLY WELL REPORT (as required by ORS 537.765)

STATE OF OREGON

WATER RESOURCES DEPT SALEM, OREGON

WELL I.D. # L _	75844
START CARD#	177375

	SALLIVI,	0.1200
Instructions for completing this report are o	the last made of	this form

(1) LAND OWNER Well Number 1 Name John Rutkai	County Marion		
Address 9665 Sunnyview Rd.	Tax Lot Lot		
City Salem State Oregon Zip 97301			
(2) TYPE OF WORK New Well Deepening Alteration (repair/recondition) Abandonment Conversion	Section 19 NW 1/4 NW 1/4 Lat		
(3) DRILL METHOD ☑ Rotary Air ☐ Rotary Mud ☐ Cable ☐ Auger ☐ Cable Mud ☐ Other	Street Address of Well (or nearest address) 9665 Sunnyview Rd. Salem, Oregon 97301		
(4) PROPOSED USE ☐ Domestic ☐ Community ☐ Industrial ☑ Irrigation ☐ Thermal ☐ Injection ☐ Livestock ☐ Other	(10) STATIC WATER LEVEL 50' ft. below land surface. Date 8/19/05 ft. below land surface. Date		
(5) BORE HOLE CONSTRUCTION Special Construction: Yes No Depth of Completed Well 364 ft. Explosives used: Yes No Type Amount	(11) WATED DEADING ZONES		
BORE HOLE SEAL Diameter From To Material From To Sacks or Pounds	From To Estimated Flow Rate SWL 39' 39' 2 32'		
12" 0 22' Bentonite 0 4' 3 sacks	258' 364' 40 to 50 50'		
40" 22' 47' Cement 4' 47' 20 sacks	250 504 4010 50		
8" 47 364'			
How was seal placed: Method ☐ A ☐ B ☑ C ☑ D ☐ E	(12) WELL LOG Ground Elevation		
Other ft. to ft. Material	Material From To SWL		
Gravel placed from ft. to ft. Size of gravel	10p soil 0 4		
	Brown silt 4 19 Decomposed basalt & boulders 19 39		
(6) CASING/LINER Diameter From To Gauge Steel Plastic Welded Threade	Doub week handt		
	Gray claystone with gray basalt 86 91		
	Dark gray basalt 91 258		
Liner:	Weathered brown and gray		
Liner:	basalt 258 312 Dark gray basalt with some		
Liner:	fractured seams 312 345		
Drive Shoe used ☐ Inside ☐ Outside ☑ None	Multi-colored claystone 345 364		
Final location of shoe(s)			
(7) PERFORATIONS/SCREENS			
Perforations Method			
Screens Type Material From To Slot Number Diameter Tele/pipe Casing Liner	Date Started 8/15/05 Completed 8/19/05		
Size size (unbonded) water wen Constructor Certification			
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well		
	construction standards. Materials used and information reported above are true to		
	the best of my knowledge and belief.		
	WWC Number 1629 Date 8/25/05		
(8) WELL TESTS: Minimum testing time is 1 hour ☐ Pump ☐ Bailer ☑ Air ☐ Flowing Artesian	Signed		
Yield gal/min Drawdown Drill stem at Time	(bonded) Water Well Constructor Certification		
40 to 50 363 1.5 hr.	I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported		
	above. All work performed during this time is in compliance with Oregon water		
Temperature of water 54 +/- Depth Artesian Flow Found	supply well construction standards. This report is true to the best of my knowledge and belief.		
Was a water analysis done? Yes By whom	una collet.		
Did any strata contain water not suitable for intended use?	WWC Number 1273 Date 8/25/05		
Salty Muddy Odor Colored Other	In the second Vision		
Depth of strata:	Signed Thorn Sype		