MARI 61341

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

WELL LABEL # L	87490	
START CARD #	171673	ĺ

(1) LAND OWNER Owner Well l.D. #7	(9) LOCATION OF WELL (legal description)		
First Name LENA Last Name PAGE	County MARION Twp 7 S N/S Range 1 W E/W WM		
Company LENA PAGE LIVING TRUST	Sec 19 SE 1/4 of the SE 1/4 Tax Lot 1900		
Address 12351 CENTERWOOD RD	Tax Map Number Lot		
City JEFFERSON State OR Zip 97352	Lat ° 0 ' "or DMS or DD		
(2) TYPE OF WORK New Well Deepening Conversion	Long 0 " or DMS or DD		
(A.1.1.2 of 110.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	Street address of well Nearest address		
Alteration (repair/recondition) Abandonment	Access Company of the Company		
(3) DRILL METHOD	10520 SUNNYVIEW RD, SALEM		
Rotary Air Rotary Mud Cable Auger Cable Mud	(10) CTATIC WATER I EVEL		
Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)		
	Existing Well / Predeepening		
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 12-06-2007 144		
Industrial/ Commericial Livestock Dewatering	Flowing Artesian? Dry Hole?		
Thermal Injection Other	WATER BEARING ZONES Depth water was first found 40		
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy)	SWL Date From To Est Flow SWL(psi) + SWL(ft)		
Depth of Completed Well 281 ft.	11-29-2007 40 46 5 2		
BORE HOLE SEAL sacks/	11-29-2007 115 124 10 90		
Dia From To Material From To Amt 1bs	12-05-2007 149 279 40 144		
10 0 159 Bentonite 0 19 9 S			
6.5 159 263 Cement 19 159 39 S			
6.13 263 281	(11) WELL LOG Ground Elevation		
	Glouid Elevation		
	Material From To To Soil 0 3		
Other Bentonite dry	Boulders 3 5		
Backfill placed from ft. to ft. Material Size	Gray basalt 5 40		
	Weathered basalt 40 46		
Explosives used: Yes Type Amount	Gray basalt 46 71		
(6) CASING/LINER	Very soft black basalt 71 76		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Dark gray basalt 76 90		
	Brown clay 90 101		
0 281 #200 0	Gray basalt 101 115		
	Red cinders		
	Dark gray basalt 154 249		
	Verey weathered basalt semi-caving 249 279		
Shoe Inside Outside Other Location of shoe(s)	Dark brown to black soft basalt 279 281		
Temp casing Yes Dia From To			
(7) PERFORATIONS/SCREENS			
Perforations Method Drill			
Screens Type Material			
Perf/S Casing/Screen Scm/slot Slot # of Tele/			
Perf/S Casing/Screen Scm/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	Date Started 11-29-2007 Completed 12-06-2007		
Perf Liner 4.5 221 276 .625 .625 119	(unbonded) Water Well Constructor Certification		
	I certify that the work I performed on the construction, deepening, alteration, or		
	abandonment of this well is in compliance with Oregon water supply well		
	construction standards. Materials used and information reported above are true to		
	the best of my knowledge and belief.		
(8) WELL TESTS: Minimum testing time is 1 hour	License Number 1629 Date 12-11-2007		
Pump Bailer • Air Flowing Artesian	Password : (if filing electronically)		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)			
40 280 2 (bonded) Water Well Constructor Certification			
	I accept responsibility for the construction, deepening, alteration, or abandonment		
	work performed on this well during the construction dates reported above. All work		
Temperature 53 °F Lab analysis Yes Yes	performed during this time is in compliance with Oregon water supply well		
Water quality concerns? Yes (describe below)	construction standards. This report is true to the best of my knowledge and belief.		
From To Description Amount Units	License Number 1273 Date 12-11-2007		
DEC 1 3 2007	Password : (if fing electronical)		
	Signed Flory Made		
WATER RESOURCES DEPT			
ORI SALEMAORESON CES DEPARTMENT			
THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.89			