NOTICE TO WATER WELL CONTINCTOR

The original and first copy

WATER WELL REPORT SEP - 9 1970 STATE OF OREGON STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) within 30 days from the case TATE ENGINEER (Do not write above this line) SALEM. OREGON filed with the State Permit No. (1) OWNER: Stadeli (10) LQCATION OF WELL: County Marion Name Driller's well number Rt3.Silverton, Oreg Address Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): 1000'S . &900'W. of N.E. COr see8 New Well Deepening [Reconditioning [Abandon [] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven 🗆 Domestic A Industrial | Municipal | Static level ft. below land surface. Date 8/20/70 Jetted [Bored | Irrigation | Test Well | Other Artesian pressure lbs. per square inch. Date CASING INSTALLED: Threaded | Welded K (12) WELL LOG: Diameter of well below casing ... Depth drilled 146 ft. Depth of completed well 146 " Diam. from _____ft. to _____ft. Gage ____ Formation: Describe color, texture, grain size and structure of materials; " Diam. from _____ ft. to ____ ft. Gage ____ and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? [] Yes - No. Type of perforator used MATERIAL in. by

Rotary Cable Size of perforations Top soil brn. Clay brn. Clay red perforations from _____ ft. to ____ ft. Clay yellow 78 _____ perforations from _____ ft. to _____ ft. Clay yellow sandy 78 90 (7) SCREENS: Well screen installed?

Yes

No M. weathered basalt brn. 90 31 Manufacturer's Name M. basalt porous blk.W.B.131146 Diam. Slot size Set from ft. to Diam. Slot size Set from ft. to Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?

Yes No If yes, by whom? gal./min. with ft. drawdown after hrs. gal./min. with 90 Air deller test 60 ft. drawdown after tesian flow g.p.m. nperature of water Depth artesian flow encountered ft. Work started 8/19 1970 Completed 8/20 1970 (9) CONSTRUCTION: Cement-Bentonite Date well drilling machine moved off of well 8/20/70 Well seal-Material used **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Robert Bay State Date 9/7/70, 19 Drilling Machine Operator's License No. Brand name of bentonite National Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs Size: location ft. NameR.Stadeli&Sons Did any strata contain unusable water? 📋 Yes 🕇 No (Person, firm or corporation) (Type or print) Type of water? Address Silverton, Oreg Method of sealing strata off Was well gravel packed? [Yes KNo Size of gravel: Gravel placed from _____ ft. to _____ ft. Contractor's License No. Date . .., 19..... SP*45656-119