

The original and first copy of this report are to be filed with the

RECEIVED MAR 18 1970

STATE OF OREGON WATER WELL REPORT

6154

711W-8

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

STATE ENGINEER SALEM, OREGON

Please type or print (Do not write above this line)

State Well No.

State Permit No.

G 5299

(1) OWNER:

Name Florence Kaufman
Address Route 3, Box 151, Silverton, Ore

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [X] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven []
Cable [X] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal []
Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

12" Diam. from 0 ft. to 45 ft. Gage 250
12" Diam. from 45 ft. to 305 ft. Gage 250

(6) PERFORATIONS:

Perforated? [] Yes [X] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 52 ft. below land surface Date 2-18-70
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [X] Yes [] No If yes, by whom? Driller
675 gal./min. with 62 ft. drawdown after 3 hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used grout
Depth of seal 45 ft.
Diameter of well bore to bottom of seal 15 1/2 in.
Were any loose strata cemented off? [] Yes [X] No Depth
Was a drive shoe used? [] Yes [X] No
Did any strata contain unusable water? [] Yes [X] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Marion Driller's well number
1/4 1/4 Section T. R. W.M.

Bearing and distance from section or subdivision corner
3000 ft W, 1700 ft N, of S.E.
cor of sec 8, T.7S, R.1W.

(12) WELL LOG:

12" to 205, 8" to 295.
Diameter of well below casing
Depth drilled 305 ft. Depth of completed well 295 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Contains handwritten entry: 'This well was drilled in July & Aug, of 67. Well was reamed from 00-205 ft. 12".'

Work started 11-12-69 19 Completed 2-18-70 19
Date well drilling machine moved off of well 2-18-70 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Paul R. Stadel Date 3-7-70, 19...
(Drilling Machine Operator)

Drilling Machine Operator's License No. 322

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME R. Stadel & Sons
(Person, firm or corporation) (Type or print)

Address Route 3, Box 169, Silverton, Ore

[Signed] Paul R. Stadel
(Water Well Contractor)

Contractor's License No. 296 Date 3-16-1970