NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

*WATER RESOURCES DEPARTMENT

SALEM, OREGON 97310 within 30 days from the date

WATER WELL REPORT

STATE/OF OREGON

(Please type or print)

State Permit No. 6-9788

of well completion. (Do) not write:	state Permit	No. (7-7	781
(1) OWNER:	(10) LOCATION OF WELL:		
NameArt Endresen	County Marion Driller's well number 2356		
Address 13019 Finlay Rd.	34 34 Section 10 T. 7S R. 1W W.M.		
Silverton, Oregon 97381	Bearing and distance from section or subdivis		, , , , , , , , , , , , , , , , , , ,
(2) TYPE OF WORK (check):	Because of publish	sion corner	· · · · · · · · · · · · · · · · · · ·
New Well 🕅 Deepening 🗌 Reconditioning 🗍 Abandon 🗀			- 44
If abandonment, describe material and procedure in Item 12.	(11) WATER FEVEL Completed	. 77	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.		
Rotary Driven	Depth at which water was first found 183 ft.		
Dug G Bored G Temperation W Mark 227 13	10. Delow land surface. Date 4/ 0/ 01		
	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded ☐ Welded ☑ 8 "Diam. from +1 ft. to 145ft. ft. Gage .250	(12) WELL LOG: Diameter of well below casing		
" Diam. fromft. toft. Gage	Depth drilled 500 ft. Depth of completed well 500 ft.		
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials.		
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in		
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate pri	ncipal water-	each change in bearing strata.
Type of perforator used	MATERIAL		To SWL
Size of perforations in. by in.	Topsoil	1	
perforations fromft. toft.	Brown Clay	2	78
perforations fromft. toft.	Broken Brown Rock	78 1	139
perforations from ft. to ft.	Black Basalt	1 1	1.83
(7) CODERATO	Fractured Basalt w.b. (5gpm)		L91
wen serech mataned; 1 ies M No	Black Basalt		265
Manufacturer's Name	Fractured Basalt (dry)		278
Type Model No.	Black Basalt	1 1	367
Diam. Slot size Set from ft. to ft. Diam. Slot size ft. ft. to ft.	Fractured Basalt w.h.		¥80
Set fromft.	Black Basalt	1	500
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? [Yes [No If yes, by whom?			
Yield: gal/min. with ft. drawdown after hrs.	RECEIVE	n	
test 200+ GPM for a period of 6 hours "	- NEULIVE	U	
" " " " " " " " " " " " " " " " " " " "	APR 1 3 1981		
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.	WATER RESOURCES		
perature of water Depth artesian flow encountered ft.	SALEM. OREGON		
	· -	<u>d 4/4/81</u>	. 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well	4/4/81	- 19
Well seal—Material used Cement	Drilling Machine Operator's Certification:		
Well sealed from land surface to 145	This well was constructed under my	direct su	pervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief.	above are	true to my
Diameter of well bore below seal	[Signed] Dallas Lagrein Date 1/1/01 to		
Number of sacks of cement used in well seal36sacks	[Signed] Walks & Grilling Machine Operator) Date 4/4/81, 19		
How was cement grout placed? 8 sacks of cement pumped	Drilling Machine Operator's License No		
to bottom of annulus, drill cuttings and ben-	Water Wall Control of the		
tonite filled annulus to 40 feet, then cement	Water Well Contractor's Certification:		
used to fill unnulus to surface.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? Yes No Plugs Size: location	Name Willamette Drilling Co. (Person, firm or corporation) (Type or print)		
Did any strata contain unusable water? Yes X No	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address 7365 O'Neil Rd. NE. Sal	em, Oreg	on 9730
Method of sealing strata off			
Was well gravel packed? ☐ Yes ☒ No Size of gravel:	[Signed] Vallate VIIIA (Water Well Contractor)		
Gravel placed from ft. to ft.	Contractor's License No561 Date		
	Date	- ττ.π.Ω.Ψ	, 19