NOTICE TO WATER WELL CONTRACTOR WATER WELL-REPORT The original and first copy of this report are to be

4/10-19 State Well No.

Drawdown is amount water level is lowered below static level

State Permit No. ..

(11) WELL TESTS:

filed with the	MAI	23	1200	CIND A ROLL	ΩE	OREGON
STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.	97310		a is 1 C	O DIA LE	type	or print)
within 30 days from the date		EN	CHAR		0,00	02 p
of well completion.				14/		

(1) OWNER:

County

Name Erwin Nyquist Address Rte 1 Box 377

Hubbard, Oregon (2) LOCATION OF WELL: Marion

Warin Naraniat	Was a pump test made? X Yes \( \subseteq No If yes, by who	m? OFIL	101
me Erwin Nyquist	Yield: 160 gal./min. with 15 ft. drawdo	wn after	6 hrs.
Hubbard, Oregon	" " " " " " " " " " " " " " " " " " "		
	" " "		hrs.
) LOCATION OF WELL:	Bailer test gar./ mixt	lown after	1113.
unty Marion Driller's well number	Artesian flow g.p.m. Date  Temperature of water Was a chemical analysis	made? [] Yo	es 🕱 No
1/4 1/4 Section 1/2 1. 1. 1t.	Temperature va		
aring and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below of	asing <u>O</u>	***************************************
	Depth drilled 140 ft. Depth of completed w	rell 14	
	Formation: Describe by color, character, size of mater	ial and struc	ture, and
	Formation: Describe by color, character, size of mater show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	change of f	ormation.
The second secon	MATERIAL	FROM	TO
		0	3
B) TYPE OF WORK (check):	Soil	3	47
Well   Deepening □ Reconditioning □ Abandon □	Brown sandy clay	47	61
apandonment, describe material and procedure in Item 12.	Blue clay	61	87_
4) PROPOSED USE (check): (5) TYPE OF WELL:	Hard brown sand	87	99
Rotary Driven	Brown clay Grey sandy clay	99	116
Cable X Jetted L		116	132
rrigation 📆 Test Well 🗌 Other 🔲 Dug 🔲 Bored 🗋	Blue clay Broken sand and gravel	132	140
6) CASING INSTALLED: Threaded Welded	Broken sand and graver		
8 " Diam. from 0 ft. to 139t. Gage 14"			
" Diam. fromft. toft. Gage			
" Diam, fromft, toft. Gage			
(7) PERFORATIONS: Perforated?   Yes  No			
Type of perforator used			
Size of perforations in. by in.			
perforations from it. to			
perforations from 1t. to			
perforations from ft. to ft			
perforations fromft. toft			
perforations from ft. to ft			
(8) SCREENS: Well screen installed?   Yes No			<u> </u>
Manufacturer's Name			<u> </u>
Model No.			<u></u>
Diam. Slot size Set from ft. to ft.	Work started May 17 1966 Completed	May 20	19 6
Diam. Slot size Set from ft. to ft. to	Date well drilling machine moved off of well	May 21	19 6
	(13) PUMP:		
(9) CONSTRUCTION:	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
Well seal—Material used in seal Puddled Mud	Manufacturer's Name	u D	,
Denta of good ZV ft. Was a packer used financial	Type:	H.F	
Dismeter of well here to bottom of seal in.	Water Well Contractor's Certification:		
Were any loose strata cemented off? ☐ Yes 🐴 No Depth	This well was drilled under my jurisdicti	on and thi	s report
Was a drive shoe used? ☐ Yes 🖼 No	two to the best of my knowledge and belief.	OTT WITH BILL	
Was well gravel packed? Yes X No Size of gravel;	John Truman Miller		
Gravel placed fromft. toft.	NAME (Person, firm or corporation)	(Type or pri	nt)
Did any strata contain unusable water?  Yes No	Address P.O. Box 42 Hubbar	d. Oreg	on
Type of water? depth of strata	<u>-</u>		
Method of sealing strata off	Drilling Machine Operator's License No	26	
(10) WATER LEVELS:	John 7 m. Ol.	,	
	[Signed] (Water Well Contract	ctor)	
Static level 40 ft. below land surface Date 5/20/60	Contractor's License No277 DateM.s	v 23	19.6
Artesian pressure lbs. per square inch Date	the state of the s	¥	,
(IISE ADDITIONAL	SHEETS IF NECESSARY)		

lbs. per square inch Date (USE ADDITIONAL