WATER WELL REPORT 270 STATE OF OREGON MARIA

RECEIVED

D State Well No. 75/1W-15

APR 28 1982

State Permit No.

WATER RESOURCES DEPT SALEM, OREGON

(I) OWNER:	(10) LOCATION OF WELL:	
Name BIBLE LEACHING, INC.	County MARION Driller's well number 1679	
Address 12730 FINLAY RD. N.E.	14 14 Section 15 T 75 P 1141	W.M.
City SILVERTON State OR 9738	Tax Lot # Lot Blk Subdivision	11272.
(2) TYPE OF WORK (check):	Address at well location:	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found 200	c.
(check).	Static level + 7 ft. helow land surface Data 4.23	tt.
Rotary Air Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other	Artesian pressure 3 lbs. per square inch. Date 4.2	
Cable		
(b) CASING INSTALLED: Steel Plastic	And a second country and a second country and a second country and a second country are a second country and a second country and a second country are a second country are a second country and a second country are a sec	
Transfer L	Formation: Describe color, texture, grain size and structure of motorials, and all	7
6 "Diam from + 12 ft. to 25 ft. Gauge ,250	thickness and nature of each stratum and aquifer penetrated with at least an analysis	
	for each change of formation. Report each change in position of Static Water Lead indicate principal water-bearing strata.	evel
LINER INSTALLED:	MARIONAY	
	BROWN CLAY O 2	
(a) Printer American		
(6) PERFORATIONS: Perforated? □ Yes ► No		
Type of perforator used Size of perforations in hy in	5 200	
	0	
perforations from ft. to ft.	BASALT 205 220	
perforations from		
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		
Type Model No		
Diam. Slot Size Set from ft. to ft.		
Diam. Slot Size Set from ft. to ft.		—
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☑ No If yes, by whom?		_
d: gal/min. with ft. drawdown after hrs.		
Air test 50 gal./min. with drill stem at 210ft. hrs.		
Bailer test gal./min, with ft. drawdown after hrs.		
Artesian flow g.p.m.		
perature of water 52 Depth artesian flow encountered 200. ft.	W. 1 4 2 2 4 2 2 4 2 3 4	5 5
(9) CONSTRUCTION: Special standards: Yes \(\text{No } \text{V} \)	Work started 4-22 19 82 Completed 4-23 198 Date well drilling machine moved off of well 4-23 198	<u> </u>
Well seal—Material used CEMENT		<u> </u>
Well sealed from land surface to	Drilling Machine Operator's Certification:	
Diameter of well bore to bottom of sealin.	This well was constructed under my direct supervision. Materials us and information reported above are true to my best knowledge and believed.	ed
Diameter of well bore below seal	[Signed] (X////////////////////////////////////	
Number of sacks of cement used in well seal 10 sacks	(Drilling Machine Operator)	
How was cement grout placed? YRESSURE GROUT	Drilling Machine Operator's License No. 1133	••
***************************************	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is true	to
Was pump installed? Type Depth Depth ft.	the best of my knowledge and belief. JONES DRILLING CO.	IN ₆
Was a drive shoe used? Yes No Plugs Size: location ft.	Name (Person, firm or or proration) 29400 Santiago Francy:	
Did any strata contain unusable water? Yes No NoT MANZEO	Address Lebanon, OR 97355	
Type of Water? depth of strata	A second	·•
Method of sealing strata off	[Signed]	••
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No. 514 Date 426	3/2
Gravel placed from ft. to ft.		مي.ر
NOTICE TO WATER WELL CONTRACTION	***	_