

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

State Well No.

JUL 14 1976

Permit No.

75/1w-15 cc

WATER RESOURCES DEPT.

(1) OWNER:

Name Roland Bolliger
Address 13320 Finlay Road N.E.
Silverton, OR 97381

(2) TYPE OF WORK (check):

New Well [x] Deepening [x] Reconditioning [ ] Abandon [ ]
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Driven [ ]
Cable [ ] Jetted [ ]
Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [x] Industrial [ ] Municipal [ ]
Irrigation [ ] Test Well [ ] Other [ ]

CASING INSTALLED:

ORIGINAL
Diam. from ... ft. to ... ft. Gage ...
" Diam. from ... ft. to ... ft. Gage ...
" Diam. from ... ft. to ... ft. Gage ...

PERFORATIONS:

Perforated? [ ] Yes [x] No
Type of perforator used
Size of perforations in. by in.
perforations from ... ft. to ... ft.
perforations from ... ft. to ... ft.
perforations from ... ft. to ... ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ... ft. to ... ft.
Diam. Slot size Set from ... ft. to ... ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [ ] Yes [x] No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " "
" " " "
Pump test 43 gal./min. with 120 ft. drawdown after 1 hr.
Artesian flow g.p.m.

CONSTRUCTION:

Well seal—Material used ORIGINAL
Well sealed from land surface to ... ft.
Diameter of well bore to bottom of seal ... in.
Diameter of well bore below seal ... in.
Number of sacks of cement used in well seal ... sacks
Number of sacks of bentonite used in well seal ... sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons of water ... lbs./100 gals.
Was a drive shoe used? [ ] Yes [x] No Plugs Size: location ... ft.
Did any strata contain unusable water? [ ] Yes [x] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [ ] Yes [x] No Size of gravel:
Gravel placed from ... ft. to ... ft.

(10) LOCATION OF WELL:

County Marion Driller's well number
S.W. 1/4 N.E. 1/4 Section 15 T. 7s R. 1w W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 219 ft.
Static level 161 ft. below land surface. Date 6/9/76
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 283 ft. Depth of completed well 283 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Basalt grey, Basalt grey porous, Basalt grey, Basalt grey sandy, Basalt hard grey, Basalt grey crevacy.

Work started 6/8/76 19 Completed 6/10/76 19
Date well drilling machine moved off of well 6/10/76 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Robert Boydston Date 6-16, 1976
(Drilling Machine Operator)

Drilling Machine Operator's License No. 646

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name R. Stadeli & Sons, Inc.
(Person, firm or corporation) (Type or print)

Address 11364 Evgrn Rd. N.E. Silverton, OR 97381

[Signed] Paul R. Stadeli
(Water Well Contractor)

Contractor's License No. 296 Date 6-17, 1976