STATE OF OREGON	MARI	UTJ/J	WELL I.D. LABEL# L		107743	
WATER SUPPLY WELL REPORT		START CA	$\mathbf{RD} #$	D # 1017788		
(as required by ORS 537.765 & OAR 690-205-0210)	9/27/	2012 ORIGINAL I	LOG #			
LAND OWNER Owner Well I.D.						
irst Name Last Name	· ·	(9) LOCATION OF WELL (legal des	scription)		
ompany CHAPIN LIVING TRUST		County MARION Twp 6.00			V E/W WN	
ddress 9965 WHEATLAND ROAD	Sec 11 NW 1/4 of the SE 1/4 Tax Lot 1100					
ity SALEM State OR Zip 97303						
	Conversion	Tax Map Number Lat°'" or			DMS or DD	
Alteration (complete 2a & 10) Abandonme A) PRE-ALTERATION	ent(complete 5a)	Long ° ' " or			DMS or DD	
Dia + From To Gauge Stl Plstc Wld T	Thrd	Street address of well	ONeare	est address		
		9965 WHEATLAND ROAD SALEM, OREGON 97303				
Material From To Amt sacks/lbs Seal:						
DRILL METHOD		(10) STATIC WATER LEVE	EL			
Rotary Air Rotary Mud Cable Auger Cable	Mud		Date	SWL(psi) +	SWL(ft)	
Reverse Rotary Other		Existing Well / Pre-Alteration Completed Well 9/	26/2012	┼───┤ ┝╡		
PROPOSED USE Domestic X Irrigation Comm	aunity	Flowing Artesia		Dry Hole?	22	
Industrial/ Commercial Livestock Dewatering	•	-		-	00 70	
Thermal Injection Other			•	r was first found $\frac{2}{1}$		
		SWL Date From To	Est F	low SWL(psi)	⊤ SWL(ft)	
BORE HOLE CONSTRUCTION Special Standard	(Attach copy)	9/26/2012 27 99	60	0	22	
Depth of Completed Well <u>99.00</u> ft. BORE HOLE SEAL	1 /					
Dia From To Material From To	o Amt lbs					
$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
10 19 99				I I		
		(11) WELL LOG Ground	Elevation			
How was seal placed: Method A B X C		Material	Elevation	From	To	
Other		Top soil firm w/tree roots		0	3	
Other ft. to ft. Material		Sandy silt w/tree roots		3	12	
Filter pack from ft. to ft. Material	Size	Loose dark brown and gray sand		12	27	
Explosives used: Yes Type Amount		Sand w/some gravel and brown clay		27	68	
ABANDONMENT USING UNHYDRATED BENT		Semi-loose sand and gravel Tight sand and gravel w/some clay		68 82	<u>82</u> 96	
Proposed Amount Actual Amount		Blue and gray clay		96	99	
CASING/LINER						
	Plstc Wld Thrd					
● <u>10</u> <u>×</u> <u>2</u> <u>99</u> <u>.250</u> ●						
$ X - X \rightarrow A - A $	$ \exists H \vdash$					
	$ \exists H H H$					
Shoe X Inside Outside Other Location of shoe((s) 99					
	<u>19</u>					
PERFORATIONS/SCREENS						
Perforations Method Holte						
Screens Type Material		Date Started9/20/2012	Compl	ete 9/26/2012		
Perf/ Casing/ Screen Scrn/slot Slot	# of Tele/	(unbonded) Water Well Constructo				
Screen LinerDiaFromTowidthlengthPerfCasing107494.21	slots pipe size 960	I certify that the work I performed of			g alteration o	
Casing 10 14 74 .2 1	200	abandonment of this well is in co				
		construction standards. Materials use				
		the best of my knowledge and belief.				
		License Number 1629	Date	9/26/2012		
WELL TESTS: Minimum testing time is 1 hour		Signed JAMES GUNN (E-filed)				
	ving Artesian					
Yield gal/min Drawdown Drill stem/Pump depth Durat		(bonded) Water Well Constructor C				
600 97	2	I accept responsibility for the constru-				
		work performed on this well during the performed during this time is in co				
Temperature 54 °F Lab analysis Yes By		construction standards. This report is	true to the l	best of my knowled	lge and belief.	
	License Number 1273 Date 9/27/2012					
Water quality concerns? Yes (describe below) TDS amount From To Description Am	ount Units			7/27/2012		
		Signed FLOYD G SIPPEL (E-filed)			
		Contact Info (optional)				
	1 1					

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: