MARI 65772

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

Westerberg Drilling, Inc. LABEL# 36728 S. Kropf Rd.

START CARD# ORIGINAL LOG#

L	116766	i	
	212271		

(as required by ORS 537.765 & OAR 690-205-0210)	P 97038 ORIGINAL LOG#			
(1) LAND OWNER Owner Well I.D.				
First Name Last Name	(9) LOCATION OF WELL (legal descrip	etion)		
Company Evergreen Golf Course	County MARION Twp 6 S N/S Ra			
Address 11694 W. Church St.	Sec 9 NE 1/4 of the SW 1/4	Γax Lot 400		
City Mt. Angel State OR Zip 97362	Tax Map Number			
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number [Lat o ' ' or Long o ' or	DMS or DD		
Alteration (complete 2a & 10) Abandonment(complete 5a) (2a) PRE-ALTERATION	Long° " or	DMS or DD		
<u>Dia</u> + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest add	iress		
Casing:	11694 W. Church St., Mt. Angel, OR 97362			
Material From To Amt sacks/lbs	The state of the s			
Seal: (3) DRILL METHOD	(10) STATIC WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable Mud	1 2 2	L(psi) + SWL(ft)		
Reverse Rotary Other	Existing Well / Pre-Alteration			
	Completed Well 07-23-2015	37.4		
(4) PROPOSED USE		Hole?		
☐ Industrial/ Commercial ☐ Livestock ☐ Dewatering	WATER BEARING ZONES Depth water was first found 50			
Thermal Injection Other	SWL Date From To Est Flow S	SWL(psi) + SWL(ft)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	50 100 50			
Depth of Completed Well 177 ft.	07-23-2015 157 171 100	37.4		
BORE HOLE SEAL sacks/				
Dia From To Material From To Amt lbs 10 0 25 Bentonite 0 25 22 S				
6 25 177 Calculated 10.5				
	(11) WELL LOC			
Calculated	(11) WELL LOG Ground Elevation			
How was seal placed: Method A B C D E	Material	From To		
Other Poured, Probed & H Backfill placed from ft. to ft. Material	Soil Clay Brown	0 1 8		
Filter pack from ft. to ft. Material Size	Clay Grey	8 18		
<u> </u>	Gravel w/Grey Clay	18 25		
Explosives used: Yes Type Amount	Sand & Gravel	25 48		
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Sand Grey	48 50		
Proposed Amount Pounds Actual Amount Pounds	Sand & Gravel Cemented gravel Grey w/Sand	50 64 64 150		
(6) CASING/LINER	Gravel Green	150 157		
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Sand & Gravel Grey	157 171		
○	Clay Blue Stickey	171 177		
	RECEIVED BY OWRD			
	1111 9 7 2015			
Shoe Inside Outside Other Location of shoe(s) 177	391 2 9 2013			
Temp casing X Yes Dia 10 From 0 To 18				
(7) PERFORATIONS/SCREENS Perforations Method Holte Air Perf	SALEM, OR			
Screens Type Material Perf/S Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 07-21-2015 Completed	07-23-2015		
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification			
Perf Casing 6 157 171 .25 3 412 6	I certify that the work I performed on the construction	on, deepening, alteration, or		
	abandonment of this well is in compliance with			
	construction standards. Materials used and information the best of my knowledge and belief.	in reported above are true to		
		-23-2015		
(8) WELL TESTS: Minimum testing time is 1 hour	Dicense Humber	/		
· · · _	Signed — Wall			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 100 155 1	(bonded) Water Well Constructor Certification	I accept responsibility for the construction, deepening, alteration, or abandonmen		
	work performed on this well during the construction date	;, alteration, or abandonment tes reported above. All work		
	performed during this time is in compliance with	Oregon water supply wel		
Temperature 55 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.			
Water quality concerns? Yes (describe below) TDS amount	License Number			
From To Description Amount Units	Signed Stern n.	$2L_{i}$		
	Contact Info (optional)	ne		
	Contact into (optional)			